EXHIBIT A LEGAL DESCRIPTION Osprey Hill One

A TRACT OF LAND LOCATED IN THE SW1/4 SECTION 28 AND NW1/4 SECTION 33, T56N, R84W, 6TH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING at a point which is located S60°24'34"E, 1,626.92 feet from the Northwest corner of said Section 33, said point being located on the North right-of-way of State Highway 331, also known as West Loucks;

Thence along the North right-of-way of said Highway 331, with the arc of curve to the Right with a radius of 2,814.79 feet, an arc length of 365.53 feet, a chord of

Thence leaving said right-of-way N08°26'04"W, 214.43 feet to a point on the South right-

Thence with said right-of-way, with the arc of a curve to the Right with a radius of 350.00 feet, an arc length of 6.67 feet, a chord of N49°14'30"W, 160.56 feet to a point;

Thence continuing with said right-of-way N46°11'23"E, 20.20 feet to a point;

Thence continuing with said right-of-way, with the arc of a curve to the Right with a radius of 330.00 feet, an arc length of 156.67 feet, a chord of N21°54'10"W, 155.20 feet

Thence continuing with said right-of-way, N08°18'07"W, 28.30 feet to a point;

Thence leaving said right-of-way, N66°40'51"W, 336.98 feet to a point;

Thence North 168.72 feet to a point;

Thence N55°40'48"W, 449.36 feet to a point;

Thence N35°37'49"E, 251.05 feet to a point;

Thence N54°11'35"W, 40.00 feet to a point;

1

Thence N35°48'25"E, 205.00 feet to a point; Thence S54°11'35"E, 248.73 feet to the PC of a curve to the Left with a radius of 130.00 feet, an arc length of 103.83 feet, a chord of S77°04'23"E, 101.09 feet to the PT of said

Thence N80°02'49"E, 30.93 feet to a point;

Thence with the arc of a non-tangent curve to the Left with a radius of 270.00 feet, an arc length of 23.92 feet, a chord of N16°36'30"W, 23.91 feet to a point;

Thence N81°41'57"E, 159.91 feet to a point;

Thence S69°55'20"E, 309.56 feet to a point, said point being located on an original line of the tract of which this is a part;

Thence S21°08'24"E, 39.82 feet to a point;

Thence continuing with a line of the original tract S25°37'33"E, 226.08 feet to a point;

Thence continuing with a line of the original tract S14°42'46"E, 98.51 feet to a point;

Thence continuing with an original line of the tract of which this is a part N84°59'38"E, 60.38 feet to a point;

Thence continuing with a line of the original tract of which this is a part S01°15'19"E, 763.47 feet to the point of BEGINNING containing 21.18 acres, more or less.

Appendix A Osprey Hill Development Standards Table of Contents

Article I.	DefinitionsPage
Article II.	Architect 1 D
2.0	A CHILLOUINI KAVIAW Dross-
2.0	01 Objective 2 Design Review Committee Responsibilities 2
2.0	Design Review Committee Responsibilities 2 Matters Requiring Approval 2
2.0	Matters Requiring Approval 2 Procedure 2
2.0	Procedure 2 Minimum Criteria for Architectural Review Approval 3
2.0	Minimum Criteria for Architectural Review Approval 3 Mechanical Equipment 3
2.0	Mechanical Equipment
2.0	7 Outdoor Storage 6 8 Signage 6
2.0	8 Signage 6 9 Lighting 6
2.10	9 Lighting
2.1	0 Structure Height
2.12	Foundations
2.13	Exterior Materials 7 Roofs 8
2.14	Roofs 8 Chimneys, Outdoor Fires, and Fireplaces 9
2.15	Chimneys, Outdoor Fires, and Fireplaces 9 Exterior Colors 9
2.16	Exterior Colors
2.17	Windows, Doors, and Skylights
2.18	Building Projections
2.19	Garages 10 Solar Applications 10
2.20	Solar Applications 10 Photovoltaic and Wind Energy 11
2.21	Photovoltaic and Wind Energy 11 Setbacks 11
2.22	Setbacks 11 Changes or Additional Construction 11
2.23	Changes or Additional Construction
2.24	General Provisions 11 Mailboxes 11
	Mailboxes 11
Article III.	General Darking
3.01	General Restrictions
3.02	Mobile Homes
3.03	Controls Applicable During Construction 12 Easements Reserved with Respect to Lots 12
3.04	Easements Reserved with Respect to Lots. 12 Motor Vehicles. 13
	Motor Vehicles 13
Article IV.	
	Deviations from Covenants and Restrictions
	Deviations from Covenants and Restrictions
Appendix A	14
- • - •	

503961 DECLARATION BOOK 462 PAGE 0194 RECORDED 03/31/2005 AT 04:55 PM AUDREY KOLTISKA, SHERIDAN COUNTY CLERK

Osprey Hill Development Standards

The following Development Standards are adopted by Three Left Handers, LLC, "Declarant", as Owner of the Osprey Hill Subdivision.

Article I Definitions

The following words and terms, when used in these Development Standards shall have the following meanings:

- (a) "Declarant" means Three Left Handers, LLC, which is the owner and the developer of Osprey Hill.
- (b) "The Homeowners' Association" or "Association" shall consist of all of the members designated in accordance with the Covenants. The Homeowner's Association shall be operated by the Homeowners' Association Board (the "Board").
- (c) "Property", shall mean and refer to the lands platted as the Osprey Hill Subdivision by Three Left Handers, LLC.
- (d) "Lot" shall mean and refer to any Lot shown on any recorded Subdivision map(s) or plat(s) of the property as amended from time to time, which is designed as a Lot therein, and which is or can be improved with a residential dwelling in conformity with these Covenants.
- (e) "Owner" means a person or entity who or which is a record owner of a fee or undivided fee interest in any Lot subject to these Covenants, excluding any person or entity who holds a lien or interest in a Lot as a security for the performance of an obligation.
- (f) "Dwelling" shall mean any building located on a Lot intended for the shelter and housing of a single-family.
- (g) "Single-family" shall mean one or more persons each related to the other by blood, marriage or adoption, or a group maintaining a common household in a dwelling.
- (h) "Story" shall mean that portion of building included between the surfaces of any floor and the surface of the floor next above, or, if there is no floor above, the space between the floor and the ceiling next above.
- (i) "Living Area" shall mean that portion of a dwelling which is enclosed and customarily used for dwelling purposes and having not less than six feet (6') of headroom, but shall not include open porches, open terraces, breezeways, attached garages, carports or dwelling accessory buildings. It shall include those areas of

the building, which are no more than $3\frac{1}{2}$ feet below the exterior grade and considered as living area by the City of Sheridan Engineering Department.

- (j) "Structure" shall mean any building or other improvement erected or constructed, the use of which requires more or less permanent location on or in the ground, or attached to something having a permanent location on or in the ground.
- (k) "Committee" shall mean the Design Review Committee which is appointed by the Homeowners' Association Board.
- (1) "Maintenance" shall mean exercise of reasonable care of buildings, roads, landscaping, lighting, and other related improvements and fixtures in a condition comparable to their original developed condition, normal wear and tear accepted.
- (m) "Maintenance of Landscaping" shall mean the exercise of generally accepted lawn and garden management practices necessary to promote a healthy weed-free environment for optimum plant growth.
- (n) "Supplemental Declaration" is a future document that may be added in conjunction with the development of future phases of Osprey Hill.

Article II Architectural Review Process

Section 2.01 Objective:

The Declarant's objectives are 1.) to carry out the general purposes expressed in this Declaration; 2.) to assure that any improvements or changes in the properties will be good and attractive design and in harmony with the natural setting of the area and will serve to preserve and enhance existing features of natural beauty; and 3.) to assure that materials or workmanship of all improvements are of high quality and comparable to other improvements in the area.

All structures shall be constructed in accordance with applicable City of Sheridan building codes and with more restrictive standards than may be required by the Committee.

Section 2.02 Design Review Committee Responsibilities:

The Committee may revise the Osprey Hill Development Standards, provided that a majority of the Committee approves the proposed revisions.

Section 2.03 Matters Requiring Approval:

Prior written approval shall be obtained from the Committee with respect to all matters stated in the Declaration as requiring such approval. A matter requiring approval of the Committee shall be submitted to its Chairman, or as the Committee otherwise designates. Building plans must include floor plans, foundation design, a color scheme, a site plan (with building locations,

grades and landscaping), and a proposed construction schedule, and must show back, side and front elevations, indicating roof design, window size and placement, an exterior style and finish. Building units that are to be pre-fabricated off-site must have the preliminary or sales plan submitted to the Committee for a preliminary review to determine if the construction and the design and the style, windows, roof lines, and details or meet the minimum criteria, provided that the preliminary review does not relieve the Owner from the obligation to meet the remaining review requirements applicable to all Dwellings. No building, fence, wall or other structure shall be commenced, erected or maintained upon the Properties, nor shall any exterior addition to or change in or alteration of any Lot or the improvements located thereon be made, nor shall any clearing of trees or change of property grade be made, until the plans and specifications showing the nature, kind, shape, elevations, heights, location and grade, design and proposed location on a Lot have been submitted to and approved in writing by the Committee.

The submitted plans and specifications shall be 11x17 inches for convenient reproduction.

Section 2.04 Procedure:

Whenever approval is required of the Committee, appropriate building plans and specifications shall be submitted to the Committee. Construction plans shall identify the general contractor and all subcontractors, all of whom shall be licensed by the City of Sheridan. The Committee shall either approve or disapprove such design and location and proposed construction and clearing activities within thirty (30) days after said plans and specifications have been submitted to it; except that, if such plans and specifications are disapproved in any respect, the applicant shall be notified wherein such plans and specifications are deficient. The Committee may withhold approval for any reason deemed by it to be appropriate, including aesthetic reasons, except that approval will not be withheld for capricious or unreasonable reasons. If such plans and specifications are not approved or disapproved with thirty (30) days after submission, approval will not be required and this Article will be deemed fully complied with; provided that nothing herein shall be deemed to waive the obligation of each Owner to comply with the substantive Covenants and restrictions of these Development Standards. At the discretion of the Committee, a reasonable filing fee established by the Committee shall accompany the submissions of such plans to defray expenses. No additional fee shall be required for resubmission of plans revised in accordance with Committee recommendations. A copy of each approved set of plans and specifications shall be kept on file by the Committee.

Section 2.05 Minimum Criteria for Architectural Review Approval:

No Dwelling shall be permitted to be constructed upon the Property, nor shall the Committee be required to approve any construction, which does not comply with the following minimum requirements:

(a) No one-story Dwelling shall be constructed having less than 1,400 square feet of living area. No bi-level Dwelling shall be constructed having less than, 1,600 square feet of living area. No two-story Dwelling shall be constructed having less than 2,000 square feet of living area.

- (b) Except for Lots 12, 13, and 14, Block 1, all homes must have the front facade facing the street and the longest ridgeline parallel to the street unless specifically allowed otherwise by the Design Review Committee.
- (c) Any Dwelling constructed must have a 6:12 or steeper pitch for roof slope and a front elevation that is aesthetically pleasing and compatible with other Dwellings in the area. A flatter roof that is aesthetically pleasing and is compatible with other dwellings in the area may be considered by the Committee on a case by case basis. The front elevation must include a roof design with various breaks created by eaves and overhangs, consideration of window size and placement, and an appealing exterior style and finish. Eaves must extend a minimum of eighteen inches (18") beyond the exterior siding and stone or brick. A narrower eave that is aesthetically pleasing and is compatible with the other dwellings in the area may be considered by the Committee on a case-by-case basis.
- (d) All garages shall be minimum two-car garages attached to the main dwelling with no more than two doors each, a maximum of fifteen feet (15') wide. The Committee in cases may permit variations where peculiar architectural considerations require a space separation between the dwelling and garage or in the event that rear access would provide an opportunity for a detached garage. In such cases, the Committee will have the right to specify the locations of any garage detached from the Dwelling and whether the garage must be attached by a "breezeway structure." No detached garage shall exceed twenty-five feet (25') in height.
- (e) No two Dwellings which appear similar in the front or side elevations shall be constructed within three hundred feet (300') of each other.
- (f) Any Lot without alley access to the backyard shall have at least one side yard at least ten feet (10') wide.
- (g) The elevations of all foundations and the location of all dwellings or detached garages shall be approved by the Committee. The Geotechnical Evaluation Report required by the Final Plat shall be submitted with the foundation drawings.
- (h) Access driveways and other areas for vehicular use on a Lot must have a base of compacted gravel, crushed stone, or other approved base material and paved with asphalt, concrete, or other materials approved by the Committee. Driveways must be completed prior to occupancy subject to weather consideration.
- (i) Front yard landscape plan shall accompany the Dwelling drawings. Front yard landscape plan shall be completed as soon as practicable after occupancy.
- (j) Television, radio and other communication antennas or any satellite system (24" maximum dish diameter), if approved by the Design Review Committee, shall be placed upon the rear of any Dwelling roof. If no signal can be received on the

backside roof, then a dish can be placed on an end wall below cave. All lines or wires shall be buried in conduit.

- Only approved fences shall be permitted upon any Lot. The fences shall not (k) exceed five feet (5') in height and shall be placed three (3) or more feet behind the front corner of the dwelling. Special consideration may be given for corner lots, where one of the fence lines may be extended to the front building line, but no closer than twenty-five feet (25') from the Lot corner nearest the adjacent street intersection. Site walls and fences must appear as a visual extension of the residence, incorporating similar or compatible materials, color and finish when ever possible. Fences or privacy walls may be constructed of brick or stone masonry, stucco over concrete masonry, wood board "cedar or redwood," split rail, natural log, ornamental iron, or tasteful combinations thereof. Other fencing types can be allowed upon committee approval. Galvanized chain-link and wire fencing are prohibited. Wood fences may be treated posts with three poles or double faced so that stringer and post are partially concealed. Wood slats shall be of cedar or redwood, four to eight inches wide, installed vertically or horizontally. Wood fences must have a continuous horizontal wood cap, uncapped slat ends will not be allowed. Fences may be left natural with linseed oil base preservative application or be stained or painted. Structural retaining walls may not exceed above grade height of six feet. Multiple terrace retainage walls must be utilized with the overall height of retained earth six feet or less. Retaining walls may be constructed of cast concrete, or engineered brick or concrete masonry; however, all exposed walls services and edges must be treated with approved finish, such a brick or stone veneer, painted stucco, or split face texture with custom color so as to blend unobtrusively with its natural surroundings. All retaining walls must include suitable drainage systems and weep holes to relieve ground water and hydrostatic pressure. Dry stack retainage wall of native stone does not require supplemental facing or finish. All stack retaining walls over two feet in height must slope against the grade a minimum of 4:1 (one foot back for each four feet in height). Dry stack retaining walls must not be subject to watershed runoff.
- (l) All pools and spas must be constructed clear of all required setbacks and in accordance with City of Sheridan regulations. All pools must be fenced and all spas skirted with related equipment screened from view.
- (m) Each Owner shall retain the services of a general contractor and subcontractors that are pre-qualified by the Declarant. Approval of general contractors and subcontractors engaged in the construction of homes in the Osprey Hill subdivision rests in the sole discretion of the Committee. Approval criteria may consist of, but not be limited to, a thorough review of the general contractor's and major subcontractor's experience, references, proof of adequate ability to properly oversee the construction, warranty fulfillment and future customer service, and history of litigation pertaining to construction activities. All contractors shall have a contractor license with the City of Sheridan and be covered with at least One Million Dollars (\$1,000,000) of liability insurance per incident with the

Declarant named as co-insured. Each owner shall sign an agreement to abide by the Covenants and the Development Standards.

- (n) Free standing or wall-mounted basketball backboards are allowed, subject to the Committee approval.
- (o) During the course of construction of any structure or landscaping, the Committee shall have the right, but not the obligation, at all reasonable time to inspect the work to ensure that it conforms with the approved plans and with government regulations. The Committee or its designated inspector shall have the right to inspect the building site prior to and during and at the end of all construction phases.
- (p) The commencement of any construction before approval has been granted by the Committee shall be a violation of the Covenants and these Development Standards.
- (q) Violation of the Covenants or these Development Standards will allow the Committee representative to stop construction immediately and prepare a statement of violation.

Section 2.06 Mechanical Equipment:

Roof mounted mechanical equipment is prohibited, except as allowed by Section 2.05(j). Any exterior mechanical equipment must be wall, or ground mounted adjacent to residence. Wall/window mounted equipment must be painted to blend unobtrusively with the adjacent wall material.

Section 2.07 Outdoor Storage:

Outdoor areas housing trash containers, clotheslines, maintenance and service equipment such as lawnmowers or overflow storage shall be screened from all adjacent properties by a wall or fence conforming to Development Standards. No detached storage buildings are allowed on Lot Numbers 15-20, Block 1.

Section 2.08 Signage:

Signs shall not be displayed on any lot or any common area except that:

- (a) Each general contractor, during construction of a major addition to an existing home or during active construction of new home until a contract sale is executed, may display a single construction sign, no larger than four square feet, in accordance with these standards.
- (b) Individual Lot Owners may, with the consent of the Committee, display a single tasteful "For Sale" sign, no larger than four square feet.

- (c) Signs indicating security protection will be permitted, with the consent of the Committee, provided that such signs are ground or wall mounted, no larger than one square foot, limited to two per lot (one for the front yard and one for the rear yard);
- (d) One (1) sign for temporary single events, such as a garage sale sign, may be permitted for up to one (1) week.
- (e) All signs, regardless of type, are subject to the approval of the Design Review Committee for style design, color, location, and duration of exhibit.
- (d) Development-related signs owned and erected by the Declarant shall be permitted without limitation.

Section 2.09 Lighting:

Street lighting will be installed by the Declarant. Owner may erect supplement lighting in accordance with their landscaping plan provided that such lighting does not result in excessive glare toward the street and neighboring properties. All exterior lighting must be of a low-level subdued intensity and is subject to approval by the Design Review Committee.

Section 2.10 Structure Height:

- (a) As a rule, no portion of the structure (except for chimney elements) may exceed a true vertical height of the thirty-four feet (34') above existing natural grade directly below or be greater in height than allowed by the building code for the City of Sheridan. On difficult steeper lots where the average slope across the proposed structure footprint exceeds ten percent (10%), the Design Review Committee may allow additional two feet of height for a limited unobtrusive ridge projection at its downslope terminus. Such relief will be considered on a case-bycase basis, and may not be construed as a blanket waiver for sloping lots in general. It is the intent of these Development Standards that roof forms for homes on sloping sites step down with the grade to integrate with the natural setting.
- (b) Parapet wall at flat roof may not exceed a true vertical height of twenty-two feet (22') above existing natural grade directly below.
- (c) Homes on Lots 15 20, Block 1, shall be no more than twenty-six feet (26') above final grade.

Section 2.11 Foundations:

All unfaced visible surfaces of concrete, masonry, or concrete foundation walls and piers exceeding twelve (12) vertical inches must receive a stucco or mortar-wash finish and shall be painted or pigmented to blend unobtrusively with adjacent materials. Exposed aggregate,

concrete, or textured concrete block with an approved integral or applied color may be considered in lieu of stucco/mortar-wash appliqué.

- (a) Foundation walls must step down with the grade change of sloping sites so that its exposed surface does not exceed vertical height of five feet (5') above finish grade at its greatest exposure; as an alternative to stepping the top of the foundation, the wall may be faced with siding, in the same plane as the wall surface above to minimize foundation wall exposure.
- (b) Where the vertical distance from the underside of a ground floor deck structure (along its perimeter edge) exceeds thirty inches (30") above the finish grade below, the deck edge must be skirted with wood latticework or wood siding to screen the cavity beneath the deck except at walk out or daylight basement. Foundation walls, which occur under a skirted deck such that they are no longer visible, are exempt from facing requirements stated above.

Section 2.12 Exterior Materials:

Traditional western styles of architecture are encouraged, along with certain southwest region and European-adaptations. Predominantly, exterior wall materials will consist of native stone, brick, and wood materials including shingles, natural logs, beveled or tongue-in-groove board siding, board-on-board and board-on-batt.

- (a) As an alternative to individual board natural wood sidings, the Committee may consider, on a case-by-case basis, the higher quality synthetic sidings, including, but not limited to, vinyl, aluminum, steel, and wood or fiber composition products, which would be virtually indistinguishable from their natural wood counterpart when viewed from the street or adjacent properties. Prefinished siding products must have a low-gloss wood-grained finish; wood and/or fiber composition products, and must possess a porous wood- grained texture suitable for the application of stain or paint.
- (b) Stucco may be used as an accent material, or may be considered for use as the predominant exterior finish material, in tasteful combination with other allowed materials, when warranted by the particular design style of the submittal. The extent of stucco, which is acceptable, shall be determined by the Committee on a case-by-case basis.
- (c) The use of textured masonry block as an exterior finish material will be considered on a case-by-case basis, and should be limited to accent segments of the building façade. Simulated or cultured stone will only be allowed when, in the opinion of the Committee, the product and pattern proposed for use resembles its natural native counterpart to the degree that it will not appear obtrusive. Masonry grouts would be of a non-contrasting color to blend unobtrusively with its masonry counterparts.

(d) The aesthetic merits of any combination of exterior materials are subject to review and approval by the Committee in order to maintain the architectural integrity and consistent visual experience of a community of homes.

Section 2.13 Roofs:

- (a) All structures shall have pitched roofs with a minimum pitch of six feet (6') in twelve (12) feet and a maximum pitch of twelve-in-twelve (except for a barn style gambrel roof, which may have a fifteen (15) in twelve (12) pitch for a starter panel on each side). Exceptions will be considered. Up to one-third of the horizontal roof area of any residence may be flat, in combination with pitched roofs across the remainder:
- (b) Allowable sloped roof forms include gable, hip, dutch-hip, gambrel, or shed (in contemporary styles, or in combination with other traditional roof forms). Geodesic domes, mansard roofs, and A-frames are prohibited. All portions of flat roofs must be screened by perimeter parapet walls.
- (c) Allowable roofing materials include fire retardant wood shakes or shingles, slate, flat concrete or clay tiles, nonreflective metal roofing with standing seams or battens, or premium dimensional asphaltic shingles with a minimum 30-year warranty. The use of composition shingles of standard or medium thickness, any type of barrel or "S" tiles, asphalt roll roofing (except on limited flat roof elements), reflective metal roofing or roofing accessories, is prohibited.
- (d) All exposed metal on the roof (except for approved prefinished products), including, but not limited to, flashing, vent pipes, spark arresters, chimneys, ridge or eave vents, and skylight frames, shall be primed and painted to blend unobtrusively with adjacent materials.
- (e) All roof forms, both pitched and flat, are subject to the height limitations prescribed by Section 2.10 of these Standards.

Section 2.14 Chimneys, Outdoor Fires, and Fireplaces:

1

Chimney elements are subject to the same material limitations described in preceding Section 2.13 or constructed of brick or stone. Zero-clearance chimneys must be concealed with a chimney enclosure; freestanding exposed chimney pipes will not be allowed, except for the rare exception as an element of a contemporary design style.

(a) All chimneys must be equipped with a U.L. or I.C.B.O. approved spark arrestor, including chimneys for outdoor fireplaces. Open outdoor fire pits are prohibited; barbecues are permitted, provided they are lidded cookers.

(b) Wood burning stoves, and fireplaces are allowed. Coal burning is prohibited.

Section 2.15 Exterior Colors:

The color combination of exterior materials should generally be subtle and tasteful to blend with the neighborhood and landscape. However, brighter accent colors which are used judiciously and with restraint may be permitted. Traditional white, muted pastels, beiges, earthtones and greys are acceptable wall colors. Colors approaching the primary range (red, blue and yellow) are discouraged, as are drastic contrasts in value (light to dark). Extreme contrast in colors of individual masonry units or between masonry units and their grout matrix should be avoided. Roofing materials should be of darker tones, avoiding whites, off-whites, bright colors, light pastels, or highly reflective metal surfaces.

All color schemes must be approved by the Design Review Committee prior to their application to any portion of a residential structure. It is the intent of the Board to preclude the use of colors that would appear garish or out of place and, therefore, offensive to the eye.

Section 2.16 Windows, Doors, and Skylights:

Highly reflective glazing material and reflective sun screening films are prohibited for use in windows, glazed doors, skylights, or for other exterior applications. In addition, all metal windows, doors, skylights frames, etc. must be painted anodized or pre-finished with baked enamel; raw metal components, especially aluminum or galvanized iron, are prohibited.

Section 2.17 Building Projections:

All projections from a dwelling or other structure including, but not limited to, chimney flues, vents, flashing, louvers, gutters, downspouts, utility boxes, mail boxes, porch railings and exterior stairways shall match the surface from which they project, or must be painted or stained an approved color to blend unobtrusively with adjacent materials.

Section 2.18 Garages:

Each dwelling shall provide a garage suitable for the shelter of two or more automobiles. The garage must be attached to the primary dwelling, and must not protrude more than twelve feet (12') from the adjacent wall areas; a garage structure with a prominent visual connection to the primary residence (in the form of a connecting breezeway, privacy wall or landscape link), may be allowed by the Committee on a case-by-case basis.

(a) Garage doors may be wood, wood composition, insulated panel, or heavy-gauge metal panel; lightweight hollow metal overhead doors, which are vulnerable to damage from even moderate potential impacts (such as a basketball), will not be allowed. Garage doors shall be painted or stained to blend appropriately with the approved color scheme

Section 2.19 Solar Applications:

Passive solar design is encouraged. Active solar applications can result in excessive reflective glare, and would only be approved by the Committee if the hardware is sufficiently integrated into the structure or landscaping of a Lot so as to appear unobtrusive from any other lot or

Section 2.20 Photovoltaic and Wind Energy:

Systems relying on renewable energy are allowed provided that appurtenances are camouflaged. Alternative energy systems must be reviewed for aesthetic compatibility and approved by the

Section 2.21 Setbacks:

Setback distances shall conform to the Final Plat, City ordinances, and geotechnical recommendations. Setbacks shall apply to all primary residences, buildings designed to store vehicles and structures exceeding three hundred square feet (300 SF) in footprint.

Section 2.22 Changes or Additional Construction:

All changes or additions to the approved plans before, during, or subsequent, to their initial construction must be approved by the Committee, before the alteration may be implemented.

Section 2.23 General Provisions:

- The Committee may assess reasonable fees (currently \$400.00) in connection (a) with its review of plans and specifications.
- The Committee may delegate its plan review responsibilities to one or more of its (b) members or architectural consultants retained by the Committee. Upon such delegation, the approval or disapproval of plans and specifications by such member or consultants shall be equivalent to approval or disapproval by the entire
- The address of the Committee shall be: Design Review Committee, 237 North (c) Main Street, Sheridan, WY 82801, unless otherwise specified in the Development Standards. Such address shall be the place for the submittal of plans and specifications and the place where the current Development Standards will be
- The establishment of the Committee and the procedures herein for architectural (d) approval shall not be construed as changing any rights or restrictions upon Owners to maintain or repair their Lots as may otherwise be specified in this

(e) The Committee shall approve or disapprove any plans and specifications submitted to it in accordance with the Development Standards within such period as may be specified in the Development Standards or the Declaration.

Section 2.24 Mailboxes:

The US Postal Service may deliver mail curbside on a per block basis or deliver to central banks of mailboxes for homeowners without curbside mailboxes. Residents along Kingfisher Avenue West of Osprey Boulevard may have curbside delivery provided each Lot Owner constructs his/her own mailbox. Development Standards for curbside mailboxes and banks of mailboxes are:

- (a) Curbside mailboxes along Kingfisher West of Osprey Boulevard may have pedestals constructed of brick, stone or stucco that become part of the front yard landscape plan. The mailbox enclosure may be painted steel, aluminum, copper, integral part of the assembly must have the house number, made an source.
- (b) A cluster box unit will be located at selected locations. Additional criteria for mailbox placement may be required in the future.

Article III General Restrictions

Section 3.01 Mobile Homes:

No mobile home shall be permitted upon any Lot at any time. This restriction shall not prevent the temporary parking and occasional use of a camping trailer or motor home in accordance with the provisions of Section 3.09 so long as the unit is parked on a paved surface and is not a permanent residence.

Section 3.02 Controls Applicable During Construction:

Each Owner shall be responsible for the conformance with all such rules by the Owner's builder and contractors:

- (a) At all times during the construction period, a trash dumpster shall be located on the site and all construction debris shall be placed in dumpster.
- (b) The roads shall be kept clean at all times. Any dirt or debris which is deposited on any road or other Lot by any vehicle entering or leaving the Owners' site shall be cleaned and removed immediately.
- (c) Building materials shall be stacked neatly on the site and shall not be stored on adjoining property. Adjoining property shall be restored if damaged.

- (d) Except as otherwise provided herein, no signs of any kind or description shall be displayed on any Lot except for one (1) sign of reasonable size, but not to exceed four (4) square feet, to advertise the property for sale or signs used by the initial sales period.
- (e) All equipment which is used in excavating or construction and which is not rubber-tired shall only be loaded or unloaded within the boundary lines of each respective Lot where excavating or construction is being performed.
- (f) Proper and adequate barricades shall be provided for protection of any open excavation, formed and/or poured foundation wall prior to back-filling and/or prior to the completion of proper railings, stairs or other uses.
- (g) Construction must begin within three (3) years after Lot purchase unless the Declarant agrees to a time extension. Any construction undertaken on any Lot shall be continued with diligence toward the completion thereof and construction of any dwelling shall be completed within one (1) year from commencement of construction, except that such period may be extended for a reasonable time by No structure shall be deemed completed until installation of approved landscaping.

Section 3.03 Easements Reserved with Respect to Lots:

Easements under and through each Lot are dedicated to the public and reserved for utilities and access as so noted on the plat approved and filed with the County Clerk. Declarant reserves the right to ingress and egress as reasonably necessary to exercise such easements as follows:

- (a) To the extent that utility easements are not shown on any Osprey Hill Plat, then a 5-foot strip running along side Lot lines, front Lot line and rear Lot line of Dwelling Lots, contained by setback lines, is reserved for drainage, the thereto.
- (b) The Owner shall not place any structure, with the exception of fencing, on any easement or setback area and shall be responsible for maintaining the easement. Any damages caused by an easement user of right to the easement shall be repaired and restored by such user.
- (c) No Owner shall have any claim or cause of action against Declarant, Homeowners' Association, and the Design Review Committee or its successors, assigns, or licensees arising out of exercise or non-exercise of any reserved easement except in cases of willful or wanton misconduct.

Section 3.04 Motor Vehicles:

No trailer, recreational vehicle, motorcycle, all-terrain vehicle, snowmobile, boat or other powered assisted vehicle or unlicensed vehicle shall be stored on any Lot except within the

The occasional, temporary use of motor homes or travel trailers for extra space when there are guests or in emergencies shall be permitted; provided the vehicle is parked on a paved surface and shall not be parked for more than ten (10) days in any calendar year or more than three (3) consecutive days. Temporary structures used during the construction of a structure shall be on the same Lot as the Structure and such temporary structures shall be removed immediately upon

Article IV

Section 4.01 Deviations from Covenants and Restrictions:

The Design Review Committee shall have the power to enter into agreements with the Owner of any Lot, without the consent of the Owner of all adjoining Lots, to deviate from the provisions of the Covenants within the jurisdiction of the Committee for reasons of practical difficulty or particular hardship which otherwise would be suffered by such Owner. Any such deviation, which shall be manifested by written agreement, shall not constitute a waiver of any such Development Standards as to other Lots in the Property.

IN WITNESS WHEREOF, THREE LEFT HANDERS, LLC being the Declarant herein, has caused this instrument to be executed the day and year written below.

THREE LEFT HANDERS, LLC

By: Gene Kilpatrick, President

By: Paul Del Rossi, Treasurer

By: Thomas L. Barker, Secretary

State of Wyoming)

SS.

Sheridan County)

The foregoing instrument was acknowledged before me by Three Left Handers, LLC, by its members Gene Kilpatrick, Paul Del Rossi, and Thomas L. Barker, this 29 day of day of

WITNESS my hand and seal.

Votary Public

My commission expires: My 13, 2008

County of Sheriden State of Wyorning My Commission Expires May 13, 2008