

Return Recorded Document to:
Basin Electric Power Cooperative
2201 S. Douglas Hwy, Suite 130
Gillette, Wyoming 82718-5405

590594 CORRECTED EASEMENT
BOOK 490 PAGE 0393
RECORDED 10/25/2007 AT 11:00 AM
AUDREY KOLTISKA, SHERIDAN COUNTY CLERK

PROJECT NO. 222
PARCEL NO. 0940,0950

Corrective Access Easement replaces Book 482 Page 0110

GRANT OF ACCESS EASEMENT

The undersigned, hereinafter referred to as Grantor, whether one or more, whose land is located in the County of **Sheridan**, State of Wyoming, for and in consideration of Ten Dollars (\$10.00) and other good and valuable consideration, in hand paid, receipt whereof is hereby acknowledged, CONVEYS unto **BASIN ELECTRIC POWER COOPERATIVE**, a North Dakota Corporation, hereinafter referred to as Grantee, its successors and assigns, an easement thirty (30) feet in width (being 15 feet either side of the centerline) described as follows:

ACCESS EASEMENT 0940A27

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOT 6 OF SECTION 27-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST ONE-QUARTER OF SECTION 27; THENCE N89°17'55"W ON THE SOUTH LINE OF SAID SECTION A DISTANCE OF 2003.12 FEET TO THE POINT OF BEGINNING; THENCE N05°52'45"W A DISTANCE OF 132.09 FEET; THENCE N01°20'39"W A DISTANCE OF 295.22 FEET; THENCE N06°27'29"W A DISTANCE OF 127.11 FEET; THENCE N04°55'16"W A DISTANCE OF 218.41 FEET; THENCE N17°21'25"W A DISTANCE OF 30.65 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 48.70 RODS, IN LENGTH.

ACCESS EASEMENT 0940B27

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOT 6 OF SECTION 27 AND TRACTS 63A, 63B, 63C, 63E ALL IN T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE CLOSING CORNER OF TRACT 63 AND SECTION 27; THENCE S00°05'46"W ON THE EAST LINE OF TRACT 63A A DISTANCE OF 661.61 FEET TO THE POINT OF BEGINNING; THENCE N76°33'59"W A DISTANCE OF 65.55 FEET; THENCE N64°44'03"W A DISTANCE OF 185.24 FEET; THENCE N70°14'33"W A DISTANCE OF 126.39 FEET; THENCE N85°17'54"W A DISTANCE OF 180.96 FEET; THENCE N82°21'16"W A DISTANCE OF 185.15 FEET; THENCE N84°55'08"W A DISTANCE OF 174.91 FEET; THENCE S49°02'40"W A DISTANCE OF 41.47 FEET; THENCE S05°53'44"W A DISTANCE OF 167.15 FEET; THENCE S02°28'56"W A DISTANCE OF 231.66 FEET; THENCE S01°55'49"W A DISTANCE OF 470.93 FEET; THENCE S00°10'30"E A DISTANCE OF 238.18 FEET; THENCE S03°58'32"E A DISTANCE OF 253.60 FEET; THENCE S12°51'41"E A DISTANCE OF 186.47 FEET; THENCE S17°54'48"E A DISTANCE OF 260.92 FEET; THENCE S30°02'59"E A DISTANCE OF 13.03 FEET; THENCE S48°59'13"E A DISTANCE OF 59.80 FEET; THENCE S65°30'16"E A DISTANCE OF 34.72 FEET; THENCE S84°15'38"E A DISTANCE OF 89.43 FEET; THENCE

S62°07'00"E A DISTANCE OF 27.18 FEET; THENCE S41°18'57"E A DISTANCE OF 21.60 FEET; THENCE S12°00'28"E A DISTANCE OF 32.40 FEET; THENCE S03°03'36"E A DISTANCE OF 239.63 FEET; THENCE S24°33'02"E A DISTANCE OF 136.37 FEET; THENCE S10°26'58"E A DISTANCE OF 279.20 FEET; THENCE S22°13'03"E A DISTANCE OF 320.81 FEET; THENCE S25°09'06"E A DISTANCE OF 217.17 FEET; THENCE S24°41'56"E A DISTANCE OF 222.42 FEET; THENCE S20°41'11"E A DISTANCE OF 279.23 FEET; THENCE S24°42'29"E A DISTANCE OF 79.64 FEET; THENCE S35°51'21"E A DISTANCE OF 106.03 FEET; THENCE S23°42'40"E A DISTANCE OF 158.26 FEET; THENCE S17°21'25"E A DISTANCE OF 32.87 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 311.27 RODS, IN LENGTH.

ACCESS EASEMENT 0940C27

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOTS 1 AND 2, AND THE EAST ONE-HALF OF THE EAST ONE-HALF OF SECTION 27-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SECTION 27; THENCE S00°11'38"E A DISTANCE OF 1104.27 FEET TO THE POINT OF BEGINNING; THENCE N47°45'43"W A DISTANCE OF 163.59 FEET; THENCE N57°07'06"W A DISTANCE OF 164.08 FEET; THENCE N36°02'16"W A DISTANCE OF 124.28 FEET; THENCE N34°55'06"W A DISTANCE OF 67.73 FEET; THENCE N55°06'28"W A DISTANCE OF 150.86 FEET; THENCE N43°02'40"W A DISTANCE OF 197.64 FEET; THENCE N36°01'11"W A DISTANCE OF 487.65 FEET; THENCE N33°22'18"W A DISTANCE OF 129.35 FEET; THENCE N15°29'30"W A DISTANCE OF 157.95 FEET; THENCE N42°05'35"W A DISTANCE OF 111.44 FEET; THENCE N50°06'03"W A DISTANCE OF 190.35 FEET; THENCE N57°15'11"W A DISTANCE OF 113.85 FEET; THENCE N42°53'51"W A DISTANCE OF 67.03 FEET; THENCE N43°07'09"W A DISTANCE OF 91.41 FEET; THENCE N27°59'55"W A DISTANCE OF 83.16 FEET; THENCE N05°07'50"E A DISTANCE OF 253.94 FEET; THENCE N10°41'36"W A DISTANCE OF 144.03 FEET; THENCE N29°46'25"W A DISTANCE OF 131.45 FEET; THENCE N61°37'49"W A DISTANCE OF 150.77 FEET; THENCE N57°10'01"W A DISTANCE OF 107.45 FEET; THENCE N17°42'59"W A DISTANCE OF 104.03 FEET; THENCE N12°42'17"W A DISTANCE OF 113.93 FEET; THENCE N53°31'48"E A DISTANCE OF 158.29 FEET; THENCE N44°58'08"E A DISTANCE OF 98.98 FEET; THENCE N41°53'50"E A DISTANCE OF 151.19 FEET; THENCE N26°16'17"E A DISTANCE OF 91.46 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0940-AA27 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 230.66 RODS, IN LENGTH.

ACCESS EASEMENT 0940-AA27

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOT 1 AND THE NORTHEAST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER OF SECTION 27-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE CLOSING CORNER OF TRACT 63 AND SECTION 27; THENCE S00°05'46"W ON THE WEST LINE OF GOVERNMENT LOT 1 A DISTANCE OF 661.61 FEET TO THE POINT OF BEGINNING; THENCE S76°33'59"E A DISTANCE OF 105.17 FEET; THENCE S72°57'17"E A DISTANCE OF 120.39 FEET; THENCE S85°15'17"E A DISTANCE OF 100.50 FEET; THENCE S87°00'57"E A DISTANCE OF 130.38 FEET; THENCE S58°05'58"E A DISTANCE OF 96.88 FEET; THENCE S58°48'24"E A DISTANCE OF 137.26 FEET; THENCE S73°51'48"E A DISTANCE OF 73.83 FEET; THENCE S77°57'28"E A DISTANCE OF 37.42 FEET; THENCE S87°07'14"E A DISTANCE OF 234.21 FEET; THENCE S89°46'20"E A DISTANCE OF 330.84 FEET; THENCE N84°58'42"E A DISTANCE OF 232.67 FEET; THENCE S84°33'08"E A DISTANCE OF 120.64 FEET; THENCE S81°35'17"E A DISTANCE OF 102.47 FEET; THENCE N66°32'21"E A DISTANCE OF 87.25 FEET;

THENCE N73°59'37"E A DISTANCE OF 240.92 FEET; THENCE S66°50'59"E A DISTANCE OF 66.41 FEET; THENCE S62°25'19"E A DISTANCE OF 110.84 FEET TO THE EAST LINE OF THE NORTHEAST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER OF SECTION 27 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 141.10 RODS, IN LENGTH.

ACCESS EASEMENT 0940-BA34

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOT 2 OF SECTION 34 AND TRACT 67 ALL IN T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SECTION 34; THENCE N89°17'55"W ON THE NORTH LINE OF SAID SECTION A DISTANCE OF 2003.12 FEET TO THE POINT OF BEGINNING; THENCE S05°52'45"E A DISTANCE OF 101.70 FEET; THENCE S04°27'21"E A DISTANCE OF 173.56 FEET; THENCE S18°29'45"E A DISTANCE OF 230.38 FEET; THENCE S21°02'15"E A DISTANCE OF 177.22 FEET; THENCE S15°49'22"E A DISTANCE OF 193.57 FEET; THENCE S12°35'28"E A DISTANCE OF 125.40 FEET; THENCE S06°07'22"W A DISTANCE OF 65.88 FEET; THENCE S46°59'56"E A DISTANCE OF 92.44 FEET; THENCE S36°19'42"E A DISTANCE OF 88.60 FEET; THENCE S28°02'43"E A DISTANCE OF 229.54 FEET; THENCE S25°57'27"E A DISTANCE OF 185.09 FEET; THENCE S14°15'56"E A DISTANCE OF 200.78 FEET; THENCE S24°17'11"E A DISTANCE OF 246.36 FEET; THENCE S28°04'08"E A DISTANCE OF 224.88 FEET; THENCE S19°25'27"E A DISTANCE OF 164.89 FEET; THENCE S16°37'46"E A DISTANCE OF 249.04 FEET; THENCE S25°15'03"W A DISTANCE OF 76.69 FEET; THENCE S86°41'50"W A DISTANCE OF 74.22 FEET; THENCE N87°53'03"W A DISTANCE OF 213.14 FEET; THENCE N83°14'18"W A DISTANCE OF 187.87 FEET; THENCE S75°37'04"W A DISTANCE OF 148.49 FEET; THENCE S27°34'37"W A DISTANCE OF 174.82 FEET; THENCE S00°09'26"W A DISTANCE OF 175.76 FEET; THENCE S47°09'57"E A DISTANCE OF 119.35 FEET; THENCE S72°15'18"E A DISTANCE OF 98.70 FEET; THENCE S32°45'13"E A DISTANCE OF 157.06 FEET, MORE OR LESS, TO THE CENTERLINE OF STATE HIGHWAY 14-16, STATE OF WYOMING, AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 253.06 RODS, IN LENGTH.

ACCESS EASEMENT 0950A26

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTH ONE-HALF AND THE NORTH ONE-HALF OF THE SOUTHEAST ONE-QUARTER OF SECTION 26-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SECTION 26; THENCE S00°49'24"W ON THE WEST LINE OF SAID SECTION 26 A DISTANCE OF 823.00 FEET TO THE POINT OF BEGINNING; THENCE S62°25'19"E A DISTANCE OF 60.79 FEET; THENCE S54°31'15"E A DISTANCE OF 118.12 FEET; THENCE N73°00'48"E A DISTANCE OF 62.91 FEET; THENCE S66°49'21"E A DISTANCE OF 149.81 FEET; THENCE S83°46'30"E A DISTANCE OF 94.28 FEET; THENCE N84°07'42"E A DISTANCE OF 182.87 FEET; THENCE N75°59'10"E A DISTANCE OF 110.61 FEET; THENCE N82°31'06"E A DISTANCE OF 142.54 FEET; THENCE N63°17'56"E A DISTANCE OF 182.15 FEET; THENCE N66°04'58"E A DISTANCE OF 105.04 FEET; THENCE N84°26'50"E A DISTANCE OF 103.85 FEET; THENCE N76°01'23"E A DISTANCE OF 171.66 FEET; THENCE S88°11'40"E A DISTANCE OF 126.58 FEET; THENCE S71°40'02"E A DISTANCE OF 204.33 FEET; THENCE S82°55'51"E A DISTANCE OF 117.96 FEET; THENCE N77°50'17"E A DISTANCE OF 145.30 FEET; THENCE N71°41'51"E A DISTANCE OF 142.44 FEET; THENCE N71°52'57"E A DISTANCE OF 103.44 FEET; THENCE N80°21'51"E A DISTANCE OF 142.72 FEET; THENCE N84°20'22"E A DISTANCE OF 162.00 FEET; THENCE N82°12'51"E A DISTANCE OF 113.64 FEET; THENCE S38°21'35"E A DISTANCE OF 54.93 FEET; THENCE S22°50'53"E A DISTANCE OF 133.01 FEET; THENCE S46°47'34"E A DISTANCE OF 100.42 FEET; THENCE S32°28'57"E A DISTANCE OF 49.13 FEET; THENCE S21°05'55"E A DISTANCE OF 140.32 FEET; THENCE S27°00'20"E A DISTANCE OF 167.03 FEET; THENCE S29°29'57"E A DISTANCE OF 284.48 FEET; THENCE S24°47'14"E A

DISTANCE OF 302.96 FEET; THENCE S25°36'18"E A DISTANCE OF 167.80 FEET; THENCE S25°48'09"E A DISTANCE OF 264.97 FEET; THENCE S24°45'59"E A DISTANCE OF 176.94 FEET; THENCE S18°01'37"E A DISTANCE OF 232.92 FEET; THENCE S19°44'07"E A DISTANCE OF 127.42 FEET; THENCE S40°13'05"E A DISTANCE OF 144.81 FEET; THENCE S28°34'08"E A DISTANCE OF 41.61 FEET; THENCE S17°42'17"E A DISTANCE OF 64.78 FEET; THENCE S24°47'19"E A DISTANCE OF 284.33 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 332.18 RODS, IN LENGTH.

ACCESS EASEMENT 0950B26

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTHEAST ONE-QUARTER OF SECTION 26-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 26; THENCE N89°29'25"W ON THE SOUTH LINE OF SAID SECTION 26 A DISTANCE OF 518.48 FEET TO THE POINT OF BEGINNING; THENCE N37°22'23"W A DISTANCE OF 135.65 FEET; THENCE N23°09'05"W A DISTANCE OF 105.83 FEET; THENCE N00°37'22"W A DISTANCE OF 138.98 FEET; THENCE N21°41'19"W A DISTANCE OF 88.36 FEET; THENCE N25°55'05"W A DISTANCE OF 163.60 FEET; THENCE N15°41'05"W A DISTANCE OF 184.15 FEET; THENCE N30°25'53"W A DISTANCE OF 71.64 FEET; THENCE N55°35'22"W A DISTANCE OF 224.77 FEET; THENCE N43°26'37"W A DISTANCE OF 110.47 FEET; THENCE N21°29'37"W A DISTANCE OF 138.35 FEET; THENCE N14°02'10"W A DISTANCE OF 384.08 FEET; THENCE N14°07'41"W A DISTANCE OF 320.55 FEET; THENCE N11°43'19"W A DISTANCE OF 128.92 FEET; THENCE N09°21'59"W A DISTANCE OF 139.40 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 141.50 RODS, IN LENGTH.

ACCESS EASEMENT 0950C26

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE EAST ONE-HALF OF THE SOUTHEAST ONE-QUARTER OF SECTION 26-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SECTION 26; THENCE N00°45'31"E ON THE EAST LINE OF SAID SECTION 26 A DISTANCE OF 1394.24 FEET TO THE POINT OF BEGINNING; THENCE S87°11'25"W A DISTANCE OF 22.82 FEET; THENCE S60°39'39"W A DISTANCE OF 40.14 FEET; THENCE S31°22'26"W A DISTANCE OF 127.06 FEET; THENCE S39°22'40"W A DISTANCE OF 67.58 FEET; THENCE S64°02'42"W A DISTANCE OF 39.08 FEET; THENCE S49°21'46"W A DISTANCE OF 209.16 FEET; THENCE S47°04'10"W A DISTANCE OF 134.48 FEET; THENCE S40°03'09"W A DISTANCE OF 179.08 FEET; THENCE S49°43'49"W A DISTANCE OF 104.32 FEET; THENCE S63°57'32"W A DISTANCE OF 138.71 FEET; THENCE N35°28'47"W A DISTANCE OF 65.02 FEET, MORE OR LESS, TO THE CENTERLINE OF ACCESS EASEMENT 0950B26 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 68.32 RODS, IN LENGTH.

ACCESS EASEMENT 0950-AA35

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHEAST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER OF SECTION 35-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHEAST CORNER OF SECTION 35; THENCE N89°29'25"W ON THE NORTH LINE OF SAID SECTION 35 A DISTANCE OF 518.48 FEET TO THE POINT OF BEGINNING; THENCE S37°22'23"E A DISTANCE OF 23.67 FEET; THENCE S34°50'06"E A DISTANCE OF 79.06 FEET; THENCE S13°11'43"E A DISTANCE OF 216.42 FEET; THENCE S17°49'58"E A DISTANCE OF 311.96 FEET; THENCE S17°26'26"E A DISTANCE OF 257.64 FEET; THENCE S17°59'18"E A DISTANCE OF 159.43 FEET; THENCE S62°56'12"E A DISTANCE OF 224.83 FEET, MORE OR LESS, TO THE CENTERLINE OF ACCESS EASEMENT 0950-AA35 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 77.15 RODS, IN LENGTH.

This easement granted is for the benefit of and will be appurtenant to a transmission line easement in the County of Sheridan, State of Wyoming, owned or to be acquired by the Grantee, a portion of which is described as follows:

PARCEL #0940
PART OF TRACT 64-T55N-R77W
GOVERNMENT LOT 6; E1/2E1/2 SECTION 27-T55N-R77W
PARCEL #0950
ALL SECTION 26-T55N-R77W

The purpose of this grant of access is to insure to the Grantee the right of ingress and egress to an easement, on which the Grantee will have the right to place, construct, operate, repair, maintain, and replace an electric transmission line. The Grantee agrees that its use of the above-described property will be limited to such purposes. Further, Grantor and Grantee agree that the term of this access easement will be for so long as the said transmission line is operated and maintained.

The grant of this access road by the Grantor will be a non-exclusive easement. Both Grantor and Grantee specifically reserve the right to utilize said easement for itself, its invitees, employees, and others receiving permission from the Grantor and/or the Grantee.

The Grantee will pay for all the physical damages and costs associated with the surveying, constructing, inspecting, operating, and maintaining of this access road over and across the property of the Grantor should the constructing of an access road be required and not currently existing.

This easement is for Grantee's right of vehicular and/or pedestrian ingress and egress, which will include the right to construct, operate, and maintain said access road over and across that property of Grantor as herein described.

This easement will inure to the benefit of and be binding upon the parties, their successors, and assigns.

The Grantor covenants and warrants that he/she/they is the owner of the above-described land, subject to such defects, outstanding interests, liens or encumbrances as may now appear of record.

Grantor hereby waives and releases all rights under and by virtue of the Homestead Exemption Laws of the State of Wyoming.


IN WITNESS WHEREOF, the parties have set his/her/their hand this 11 day of

October, 2007.

Grantor:

Carol Ann Malli Trust Agreement dated January 30, 2006


Carol Ann Malli, Trustee



Don C. Malli, Trustee

Acknowledgement

STATE OF Wyoming)
COUNTY OF Sheridan)ss

The foregoing instrument was acknowledged before me, the undersigned notary public,
this 11 day of October, 2007 by Carol Ann Malli, Trustee under the Carol Ann
Malli Trust Agreement dated January 30, 2006.

My commission expires:



David Anderson
Notary Public

Acknowledgement


STATE OF Wyoming)
COUNTY OF Sheridan)ss

The foregoing instrument was acknowledged before me, the undersigned notary public,
this 11 day of October, 2007 by Don C. Malli, Trustee under the Carol Ann
Malli Trust Agreement dated January 30, 2006.


My commission expires:




David Anderson
Notary Public



0940A27	48.70	RODS
0940B27	311.27	RODS
0940C27	230.66	RODS








I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.


ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504


ON THIS 17th DAY OF Sept, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SUBPOENA DERRIGRAPHIC, AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

EXECUTED AT THE HOME OF
MARLYS MEIER
Notary Public
State of North Dakota
My Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/11

   										
REV	DATE	DESCRIPTION								BY
<p style="text-align: center;">ACCESS EASEMENTS</p> <p style="text-align: center;">TONGUE RIVER - DRY FORK</p> <p style="text-align: center;">SHERIDAN COUNTY, WYOMING</p>										
DRAWN BY: CLS CHECKED BY: AWE		SCALE: AS SHOWN DATE: 9/13/07		PROJECT NO. 305.353 SHEET 1 of 2		 <p style="text-align: center;">Ulteig engineers</p> <p style="text-align: center;">Dismark - Detroit Lakes - Fargo - Minneapolis - Sioux Falls</p>				

402



I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alfred W. Emerson

ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504



66.41
S66°50'59"E
120.64
S84°33'08"E
110.84
S82°25'19"E
102.47
S89°35'17"E
110.84
S82°25'19"E
102.47
S89°35'17"E
ACCESS RAMPMENT
0060A28



- ACCESS EASEMENT


0940-AA27	141.10	RODS
-----------	--------	------

127

▲					
▲					
▲					
▲					
REV.	DATE	DESCRIPTION			BY

ACCESS EASEMENTS			
TONGUE RIVER - DRY FORK			
SHERIDAN COUNTY, WYOMING			

DRAWN BY: CLS CHECKED BY: AWE APPROVED BY: AWE	SCALE: AS SHOWN DATE: 1/4/07	PROJECT NO. 305.353 SHEET 1 OF 2
--	---------------------------------	-------------------------------------





Ulteig engineers

Bozeman • Detroit Lakes • Fargo • Minneapolis • St. Paul

128
404

ACCESS EASEMENT CAROL ANN MA



SURVEYORS CERTIFICATE


I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson

ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504



NOT FOR PARCEL #0940-B ALLI TRUST AGREEMENT



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0940-BA34 253.06 RODS

STATE OF NORTH DAKOTA
 COUNTY OF BURLEIGH

ON THIS 1st DAY OF Jan, 2007, BEFORE ME PERSONALLY APPEARED
 ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED
 THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE
 EXECUTED THE SAME


MARLYS MEIER
 Notary Public


State of North Dakota

Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC
 BURLEIGH COUNTY, NORTH DAKOTA
 MY COMMISSION EXPIRES 7/30/10

405 129

DATE	DESCRIPTION	BY
1/4/07	ACCESS EASEMENTS TONGUE RIVER - DRY FORK SHERIDAN COUNTY, WYOMING	
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO. 305.353
CHECKED BY: AWE	DATE: 1/4/07	SHEET 1 of 2
APPROVED BY: AWE		



The map displays a complex network of land parcels and survey boundaries. Key features include:


- Survey Points and Bearings:** Numerous points are marked with bearings and distances. Examples include:
 - N21°57'02"W
 - S36°45'59"E
 - 230.14'
 - S18°01'37"E
 - 105.93'
 - N21°57'02"W
 - 224.77'
 - N55°35'22"W
 - 127.05'
 - S31°22'26"W
 - 22.82'
 - S87°11'26"W
 - 87.58'
 - S5°22'40"W
 - 209.18'
 - S48°21'48"W
 - 134.45'
 - S47°04'10"W
 - 65.02'
 - N35°28'47"W
 - 146.31'
 - S48°43'46"W
 - 179.08'
 - S40°03'00"W
 - 136.71'
 - S43°57'32"W
 - 136.95'
 - N00°37'22"W
 - 135.65'
 - N37°22'53"W
 - 518.48'
 - N89°29'25"W
 - 105.83'
 - N23°09'05"W
 - 180.36'
 - N21°41'18"W
 - 183.60'
 - N28°35'05"W
 - 184.15'
 - N15°41'05"W
 - 71.64'
 - N37°25'53"W
- Easements and Access Points:** Several areas are labeled as access easements:
 - ACCESS EASEMENT 0950B26
 - ACCESS EASEMENT 0950-DAB3
 - ACCESS EASEMENT 0950C26
 - ACCESS EASEMENT 0950-AAB5
- Point of Beginning:** A label "POINT OF BEGINNING ACCESS EASEMENT 0950C26" is present near the bottom center.
- Point of Commencement:** A label "POINT OF COMMENCEMENT ACCESS EASEMENT 0950B26 ACCESS EASEMENT 0950C26" is located at the very bottom.
- Survey Markers:** Circular markers with numbers like 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100 are scattered across the map.



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.


0950A26	291.83	RODS
0950B26	181.52	RODS
0950C26	68.32	RODS



SURVEYORS CERTIFICATE

1. ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

CERTIFICATION:



ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504


STATE OF NORTH DAKOTA }
COUNTY OF BURLEIGH } SS }

ON THIS 17th DAY OF Sept, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED SAID CERTIFICATE.

Notary Public
State of North Dakota

My Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10

REV.	DATE	DESCRIPTION			BY
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <h2 style="text-align: center;">ACCESS EASEMENTS</h2> <h3 style="text-align: center;">TONGUE RIVER - DRY FORK</h3> <h3 style="text-align: center;">SHERIDAN COUNTY, WYOMING</h3> </div> <div style="width: 35%; text-align: right;">  <p>Ulteigengineers</p> <p><small>Bismark - Detroit Lakes - Fargo - Minneapolis - Sioux Falls</small></p> </div> </div>					
DRAWN BY: CLS		SCALE: AS SHOWN	PROJECT NO. 305.353		
CHECKED BY: AWE		DATE: 9/14/07	SHEET 1 of 2		
APPROVED BY: AWE					