

418
Return Recorded Document to:
Basin Electric Power Cooperative
2201 S. Douglas Hwy, Suite 130
Gillette, Wyoming 82718-5405

590596 CORRECTED EASEMENT
BOOK 490 PAGE 0418
RECORDED 10/25/2007 AT 11:00 AM
AUDREY KOLTISKA, SHERIDAN COUNTY CLERK

PROJECT NO. 222
PARCEL NO. 0950,0970,0980,1000,1010

Corrective Access Easement Replaces Book 482 Page 0079

GRANT OF ACCESS EASEMENT

The undersigned, hereinafter referred to as Grantor, whether one or more, whose land is located in the County of **Sheridan**, State of Wyoming, for and in consideration of Ten Dollars (\$10.00) and other good and valuable consideration, in hand paid, receipt whereof is hereby acknowledged, CONVEYS unto **BASIN ELECTRIC POWER COOPERATIVE**, a North Dakota Corporation, hereinafter referred to as Grantee, its successors and assigns, an easement thirty (30) feet in width (being 15 feet either side of the centerline) described as follows:

ACCESS EASEMENT 0950-CA1

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTH ONE-HALF OF THE NORTH ONE-HALF OF THE NORTHEAST ONE-QUARTER OF SECTION 1-T54N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SECTION 1; THENCE N87°33'57"W A DISTANCE OF 1362.74 FEET, MORE OR LESS, TO THE POINT OF BEGINNING; THENCE S04°43'49"E A DISTANCE OF 90.00 FEET; THENCE S03°06'11"E A DISTANCE OF 78.26 FEET, MORE OR LESS, TO THE CENTERLINE OF STATE HIGHWAY 14-16, STATE OF WYOMING, AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 10.20 RODS, IN LENGTH.

ACCESS EASEMENT 0970A25

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN PART OF THE SOUTH ONE-HALF OF THE SOUTHWEST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER AND THE NORTHWEST ONE-QUARTER OF THE SOUTHEAST ONE-QUARTER OF SECTION 25-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH ONE-QUARTER CORNER OF SECTION 25; THENCE S01°12'09"W ON THE WEST LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 2590.00 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S88°47'51"E A DISTANCE OF 198.04 FEET TO THE POINT OF BEGINNING; THENCE S10°28'49"E A DISTANCE OF 108.01 FEET; THENCE S28°55'24"E A DISTANCE OF 99.45 FEET; THENCE S34°30'26"E A DISTANCE OF 64.43 FEET; THENCE S11°25'10"W A DISTANCE OF 116.26 FEET; THENCE S06°51'55"E A DISTANCE OF 101.04 FEET; THENCE S05°33'35"W A DISTANCE OF 67.68 FEET; THENCE S49°31'19"E A DISTANCE OF 45.53 FEET; THENCE S64°50'06"E A DISTANCE OF 61.36 FEET; THENCE S20°58'00"E A DISTANCE OF 100.44 FEET; THENCE S29°39'20"E A DISTANCE OF 37.72 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0970B25 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 48.60 RODS, IN LENGTH.

ACCESS EASEMENT 0970B25

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHEAST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER, THE NORTHWEST ONE-QUARTER OF THE SOUTHEAST ONE-QUARTER, AND THE SOUTH ONE-HALF OF THE SOUTHWEST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER OF SECTION 25-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SECTION 25; THENCE S89°00'32"E ON THE NORTH LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 1300.70 FEET; THENCE S00°58'39"W A DISTANCE OF 920.34 FEET TO THE POINT OF BEGINNING; THENCE S57°23'55"E A DISTANCE OF 20.97 FEET; THENCE S65°06'15"E A DISTANCE OF 51.23 FEET; THENCE N65°00'25"E A DISTANCE OF 83.71 FEET; THENCE N63°17'06"E A DISTANCE OF 76.95 FEET; THENCE N81°57'02"E A DISTANCE OF 145.43 FEET; THENCE S87°01'41"E A DISTANCE OF 169.89 FEET; THENCE S71°50'51"E A DISTANCE OF 179.34 FEET; THENCE S82°41'54"E A DISTANCE OF 200.43 FEET; THENCE N81°48'50"E A DISTANCE OF 220.51 FEET; THENCE N74°48'12"E A DISTANCE OF 204.80 FEET; THENCE N58°40'16"E A DISTANCE OF 183.74 FEET; THENCE N57°43'52"E A DISTANCE OF 65.66 FEET; THENCE N81°20'06"E A DISTANCE OF 201.47 FEET; THENCE N85°45'56"E A DISTANCE OF 27.31 FEET; THENCE S76°58'04"E A DISTANCE OF 88.66 FEET; THENCE N81°10'41"E A DISTANCE OF 61.05 FEET; THENCE N61°42'21"E A DISTANCE OF 108.85 FEET; THENCE N28°58'05"E A DISTANCE OF 50.50 FEET; THENCE N16°42'01"E A DISTANCE OF 215.13 FEET; THENCE N14°06'50"E A DISTANCE OF 135.49 FEET; THENCE N16°35'34"E A DISTANCE OF 175.71 FEET; THENCE N16°17'38"E A DISTANCE OF 100.59 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 167.72 RODS, IN LENGTH.

ACCESS EASEMENT 0970C25

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 25-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SECTION 25; THENCE N00°07'24"E ON THE EAST LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 648.83 FEET TO THE POINT OF BEGINNING; THENCE N58°09'15"W A DISTANCE OF 163.39 FEET; THENCE N55°57'56"W A DISTANCE OF 150.95 FEET; THENCE N49°03'37"W A DISTANCE OF 183.67 FEET; THENCE N42°05'49"W A DISTANCE OF 246.28 FEET; THENCE N58°57'43"W A DISTANCE OF 135.30 FEET; THENCE N47°17'34"W A DISTANCE OF 254.17 FEET; THENCE N60°14'15"W A DISTANCE OF 94.31 FEET; THENCE N53°40'04"W A DISTANCE OF 76.50 FEET; THENCE N66°52'34"W A DISTANCE OF 129.77 FEET; THENCE N70°28'10"W A DISTANCE OF 102.35 FEET; THENCE N73°49'01"W A DISTANCE OF 96.16 FEET; THENCE S77°12'13"W A DISTANCE OF 53.97 FEET; THENCE S07°58'14"E A DISTANCE OF 48.18 FEET; THENCE S73°23'26"E A DISTANCE OF 60.33 FEET; THENCE S34°19'00"E A DISTANCE OF 36.93 FEET; THENCE S02°14'31"W A DISTANCE OF 100.00 FEET; THENCE S06°17'51"E A DISTANCE OF 183.54 FEET; THENCE S13°33'02"W A DISTANCE OF 112.32 FEET; THENCE S43°00'03"W A DISTANCE OF 118.06 FEET; THENCE S55°00'59"W A DISTANCE OF 104.05 FEET; THENCE S41°13'50"W A DISTANCE OF 77.85 FEET; THENCE S22°14'09"W A DISTANCE OF 271.66 FEET; THENCE S16°13'47"W A DISTANCE OF 277.32 FEET; THENCE S16°19'47"W A DISTANCE OF 253.64 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 201.86 RODS, IN LENGTH.

ACCESS EASEMENT 0970D25

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTH ONE-HALF OF THE SOUTH ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 25-T55N-R77W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SECTION 25; THENCE N00°13'04"E ON THE WEST LINE OF SAID NORTHWEST ONE-QUARTER A DISTANCE OF 4.24 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S89°34'22"E ON SAID SIDELINE A DISTANCE OF 149.59 FEET TO THE POINT OF BEGINNING; THENCE S37°34'19"E A DISTANCE OF 7.31 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0970-AA25 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 0.44 RODS, IN LENGTH.

ACCESS EASEMENT 0980A30

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN GOVERNMENT LOTS 2 AND 3, THE SOUTHEAST ONE-QUARTER OF THE NORTHWEST ONE-QUARTER, AND PART OF THE NORTH ONE-HALF OF THE SOUTHWEST ONE-QUARTER OF SECTION 30-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS: COMMENCING AT THE WEST ONE-QUARTER CORNER OF SECTION 30; THENCE N00°07'24"E ON THE WEST LINE OF SAID NORTHWEST ONE-QUARTER A DISTANCE OF 648.83 FEET TO THE POINT OF BEGINNING; THENCE S58°09'15"E A DISTANCE OF 47.05 FEET; THENCE S62°56'49"E A DISTANCE OF 108.10 FEET; THENCE S60°31'21"E A DISTANCE OF 124.78 FEET; THENCE S55°34'51"E A DISTANCE OF 273.20 FEET; THENCE S71°10'12"E A DISTANCE OF 189.79 FEET; THENCE S66°22'51"E A DISTANCE OF 111.96 FEET; THENCE S73°20'07"E A DISTANCE OF 124.08 FEET; THENCE N69°58'35"E A DISTANCE OF 94.16 FEET; THENCE N54°22'06"E A DISTANCE OF 118.38 FEET; THENCE N53°13'52"E A DISTANCE OF 79.50 FEET; THENCE S87°10'38"E A DISTANCE OF 53.94 FEET; THENCE S52°09'58"E A DISTANCE OF 102.45 FEET; THENCE S58°50'29"E A DISTANCE OF 90.17 FEET; THENCE S33°25'13"E A DISTANCE OF 173.75 FEET; THENCE S35°12'54"E A DISTANCE OF 140.84 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 111.04 RODS, IN LENGTH.

ACCESS EASEMENT 0980B30

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTH ONE-HALF OF SECTION 30-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 30; THENCE S87°31'20"W ON THE SOUTH LINE OF SAID SOUTHEAST ONE-QUARTER A DISTANCE OF 1902.73 FEET TO THE POINT OF BEGINNING; THENCE N50°19'00"W A DISTANCE OF 52.33 FEET; THENCE N43°54'58"W A DISTANCE OF 365.33 FEET; THENCE N49°56'39"W A DISTANCE OF 136.48 FEET; THENCE N53°34'26"W A DISTANCE OF 68.84 FEET; THENCE N36°49'09"W A DISTANCE OF 153.88 FEET; THENCE N30°48'00"W A DISTANCE OF 190.52 FEET; THENCE N12°56'24"W A DISTANCE OF 212.63 FEET; THENCE N07°15'33"W A DISTANCE OF 231.71 FEET; THENCE N23°35'04"W A DISTANCE OF 72.64 FEET; THENCE N33°41'59"W A DISTANCE OF 190.57 FEET; THENCE N38°16'16"W A DISTANCE OF 166.41 FEET; THENCE N36°48'37"W A DISTANCE OF 136.05 FEET; THENCE N34°14'52"W A DISTANCE OF 177.19 FEET; THENCE N34°59'24"W A DISTANCE OF 135.20 FEET; THENCE N28°24'38"W A DISTANCE OF 162.66 FEET; THENCE N11°30'12"W A DISTANCE OF 194.68 FEET; THENCE N30°11'40"W A DISTANCE OF 133.41 FEET; THENCE N41°10'52"W A DISTANCE OF 69.73 FEET TO

THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 172.74 RODS, IN LENGTH.

ACCESS EASEMENT 0980-AA31

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 31-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 31; THENCE S87°31'20"W ON THE NORTH LINE OF SAID SECTION 31 A DISTANCE OF 1902.73 FEET TO THE POINT OF BEGINNING; THENCE S50°19'00"E A DISTANCE OF 146.73 FEET; THENCE S42°46'15"E A DISTANCE OF 217.22 FEET; THENCE S36°01'24"E A DISTANCE OF 249.16 FEET; THENCE S28°00'55"E A DISTANCE OF 142.93 FEET; THENCE S41°24'49"E A DISTANCE OF 114.50 FEET; THENCE S57°44'55"E A DISTANCE OF 152.25 FEET; THENCE S58°19'04"E A DISTANCE OF 124.32 FEET; THENCE S54°38'40"E A DISTANCE OF 133.83 FEET; THENCE S40°47'19"E A DISTANCE OF 162.75 FEET; THENCE S41°00'25"E A DISTANCE OF 111.77 FEET; THENCE S19°49'34"E A DISTANCE OF 80.23 FEET; THENCE S34°22'46"E A DISTANCE OF 36.96 FEET; THENCE S73°25'03"E A DISTANCE OF 98.05 FEET; THENCE S52°22'38"E A DISTANCE OF 149.24 FEET; THENCE S64°49'52"E A DISTANCE OF 160.89 FEET; THENCE S55°04'27"E A DISTANCE OF 97.07 FEET; THENCE S60°03'24"E A DISTANCE OF 56.68 FEET; THENCE N84°11'33"E A DISTANCE OF 220.31 FEET; THENCE N77°13'22"E A DISTANCE OF 213.43 FEET TO THE EAST LINE OF SAID SECTION 31 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 161.72 RODS, IN LENGTH.

ACCESS EASEMENT 0980-BA32

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE WEST ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 32-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 32; THENCE N05°09'01"W ON THE WEST LINE OF SAID SECTION 32 A DISTANCE OF 1175.01 FEET TO THE POINT OF BEGINNING; THENCE N77°13'22"E A DISTANCE OF 71.84 FEET; THENCE S79°48'26"E A DISTANCE OF 88.44 FEET; THENCE S82°06'56"E A DISTANCE OF 25.32 FEET TO THE CENTERLINE OF ACCESS EASEMENT 1000-AA32 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 11.25 RODS, IN LENGTH.

ACCESS EASEMENT 1000A29

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 29-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 29; THENCE S00°11'55"W ON THE EAST LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 1592.64 FEET TO THE POINT OF BEGINNING; THENCE N82°46'55"W A DISTANCE OF 414.26 FEET; THENCE N80°07'37"W A DISTANCE OF 314.43 FEET; THENCE N83°10'21"W A DISTANCE OF 246.82 FEET; THENCE S67°35'46"W A DISTANCE OF 201.46 FEET; THENCE S41°28'27"W A DISTANCE OF 278.06 FEET; THENCE S41°06'06"W A DISTANCE OF 462.19 FEET; THENCE S57°47'57"W A DISTANCE OF 214.16 FEET; THENCE S78°43'32"W A DISTANCE OF 492.34 FEET; THENCE S49°41'21"W A DISTANCE OF 160.74 FEET; THENCE S30°24'08"W A DISTANCE OF 253.28 FEET TO

THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE

ACCESS EASEMENT 1000B29

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTHWEST ONE-QUARTER SECTION 29-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:
COMMENCING AT THE SOUTHWEST CORNER OF SAID SECTION 29; THENCE N89°11'30"E ON THE SOUTH LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 1372.55 FEET TO THE POINT OF BEGINNING; THENCE N42°04'49"E A DISTANCE OF 291.93 FEET; THENCE N41°24'03"E A DISTANCE OF 606.38 FEET; THENCE N30°16'12"E A DISTANCE OF 236.27 FEET; THENCE N08°08'15"W A DISTANCE OF 211.98 FEET; THENCE N20°39'52"W A DISTANCE OF 185.29 FEET; THENCE N03°08'14"E A DISTANCE OF 123.10 FEET; THENCE N28°23'56"E A DISTANCE OF 262.89 FEET; THENCE N26°53'51"E A DISTANCE OF 588.56 FEET; THENCE N22°38'31"E A DISTANCE OF 439.03 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 178.51 RODS, IN LENGTH.

ACCESS EASEMENT 1000C29

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTH ONE-HALF OF THE SOUTHWEST ONE-QUARTER OF SECTION 29-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:
COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 29; THENCE S00°14'29"W ON THE WEST LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 478.94 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S88°04'15"E A DISTANCE OF 699.09 FEET TO THE POINT OF BEGINNING; THENCE S77°43'14"E A DISTANCE OF 312.14 FEET; THENCE S67°35'48"E A DISTANCE OF 291.42 FEET; THENCE S83°41'20"E A DISTANCE OF 149.98 FEET; THENCE S77°13'09"E A DISTANCE OF 135.11 FEET; THENCE S62°50'57"E A DISTANCE OF 63.27 FEET TO THE CENTERLINE OF ACCESS EASEMENT 1000D29 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 57.69 RODS, IN LENGTH.

ACCESS EASEMENT 1000D29

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTHWEST ONE-QUARTER OF SECTION 29-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:
COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 29; THENCE N89°29'31"E ON THE NORTH LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 1660.64 FEET; THENCE S00°30'29"E A DISTANCE OF 308.17 FEET TO THE POINT OF BEGINNING; THENCE S08°52'32"W A DISTANCE OF 248.60 FEET; THENCE S05°36'53"W A DISTANCE OF 159.58 FEET; THENCE S01°05'49"W A DISTANCE OF 116.56 FEET; THENCE S08°18'32"E A DISTANCE OF 195.96 FEET; THENCE S17°56'53"E A DISTANCE OF 107.15 FEET; THENCE S36°50'58"E A DISTANCE OF 124.44 FEET; THENCE S46°16'12"E A DISTANCE OF 83.26 FEET; THENCE S58°08'02"E A DISTANCE OF 210.00 FEET TO THE CENTERLINE OF ACCESS EASEMENT 1000B29 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 75.49 RODS, IN LENGTH.

ACCESS EASEMENT 1000-AA32

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE NORTHWEST ONE-QUARTER OF SECTION 32-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION 32; THENCE N89°11'30"E ON THE NORTH LINE OF SAID NORTHWEST ONE-QUARTER A DISTANCE OF 1372.55 FEET TO THE POINT OF BEGINNING; THENCE S42°04'49"W A DISTANCE OF 282.38 FEET; THENCE S43°28'21"W A DISTANCE OF 458.53 FEET; THENCE S47°12'29"W A DISTANCE OF 407.26 FEET; THENCE S40°22'06"W A DISTANCE OF 335.58 FEET; THENCE S12°51'45"W A DISTANCE OF 174.35 FEET; THENCE S00°47'14"E A DISTANCE OF 266.35 FEET; THENCE S03°43'23"W A DISTANCE OF 252.84 FEET; THENCE S17°46'42"W A DISTANCE OF 163.94 FEET; THENCE S37°48'37"W A DISTANCE OF 114.88 FEET TO THE WEST LINE OF SECTION 32 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 148.86 RODS, IN LENGTH.

ACCESS EASEMENT 1000-BA31

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTHEAST ONE-QUARTER OF THE NORTHEAST ONE-QUARTER AND THE NORTHEAST ONE-QUARTER OF THE SOUTHEAST ONE-QUARTER OF SECTION 31-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SAID SECTION 31; THENCE S05°09'03"E ON THE EAST LINE OF SAID SECTION A DISTANCE OF 1590.99 FEET TO THE POINT OF BEGINNING; THENCE N37°19'47"W A DISTANCE OF 367.22 FEET; THENCE N38°11'45"W A DISTANCE OF 600.96 FEET; THENCE N38°16'56"W A DISTANCE OF 518.18 FEET; THENCE N34°15'01"W A DISTANCE OF 95.75 FEET; THENCE N03°46'48"E A DISTANCE OF 60.40 FEET; THENCE N36°03'25"E A DISTANCE OF 348.37 FEET; THENCE N40°47'08"E A DISTANCE OF 229.49 FEET; THENCE N41°49'52"E A DISTANCE OF 334.20 FEET; THENCE N37°48'37"E A DISTANCE OF 300.69 FEET TO THE EAST LINE OF SECTION 31 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 173.05 RODS, IN LENGTH.

ACCESS EASEMENT 1000-CA32

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE SOUTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SECTION 32-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 32; THENCE S05°09'03"E ON THE WEST LINE OF SAID SECTION A DISTANCE OF 1590.99 FEET TO THE POINT OF BEGINNING; THENCE S37°19'47"E A DISTANCE OF 120.30 FEET; THENCE S37°14'26"E A DISTANCE OF 392.49 FEET; THENCE S35°47'21"E A DISTANCE OF 242.13 FEET; THENCE S36°45'47"E A DISTANCE OF 210.13 FEET; THENCE S19°28'20"E A DISTANCE OF 56.08 FEET; THENCE S05°10'34"E A DISTANCE OF 43.38 FEET, MORE OR LESS, TO THE CENTERLINE OF WYOMING STATE HIGHWAY 14-16 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 64.52 RODS, IN LENGTH.

ACCESS EASEMENT 1000-DA28

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE WEST ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 28-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION 28; THENCE S00°11'55"W ON THE WEST LINE OF SAID SECTION A DISTANCE OF 1592.64 FEET TO THE POINT OF BEGINNING; THENCE S82°46'55"E A DISTANCE OF 12.59 FEET; THENCE S84°36'36"E A DISTANCE OF 421.36 FEET; THENCE S82°56'36"E A DISTANCE OF 295.18 FEET; THENCE N89°15'29"E A DISTANCE OF 235.40 FEET; THENCE N70°00'59"E A DISTANCE OF 133.41 FEET; THENCE N68°41'13"E A DISTANCE OF 87.21 FEET; THENCE N88°48'52"E A DISTANCE OF 48.15 FEET; THENCE N89°30'02"E A DISTANCE OF 71.78 FEET TO THE CENTERLINE OF ACCESS EASEMENT 1000-EA28 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 79.10 RODS, IN LENGTH.

ACCESS EASEMENT 1010A28

A STRIP OF LAND THE CENTERLINE OF WHICH IS TO BE DESCRIBED, LOCATED IN THE WEST ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 28-T55N-R76W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION 28; THENCE S00°11'55"W ON THE WEST LINE OF SAID SECTION 28 A DISTANCE OF 2048.70 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE N77°18'16"E A DISTANCE OF 1264.50 FEET TO THE POINT OF BEGINNING; THENCE N16°25'28"W A DISTANCE OF 103.91 FEET; THENCE N08°35'23"E A DISTANCE OF 83.32 FEET TO THE CENTERLINE OF ACCESS EASEMENT 1000-DA28 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 11.35 RODS, IN LENGTH.

_____ This easement granted is for the benefit of and will be appurtenant to a transmission line easement in the County of Sheridan, State of Wyoming, owned or to be acquired by the Grantee, a portion of which is described as follows:

PARCEL #0950

S1/2 SECTION 26-T55N-R77W

PARCEL #0970

NW1/4; SW1/4NE1/4; GOVERNMENT LOTS 2&3 SECTION 25-T55N-R77W

PARCEL #0980

GOVERNMENT LOTS 2 & 3; N1/2SW1/4; S1/2E1/2 SECTION 30-T55N-R76W

PARCEL #1000

SW1/4; SE1/4NW1/4; E1/2 SECTION 29-T55N-R76W

PARCEL #1010

W1/2NW1/4 SECTION 28-T55N-R76W

The purpose of this grant of access is to insure to the Grantee the right of ingress and egress to an easement, on which the Grantee will have the right to place, construct, operate,

repair, maintain, and replace an electric transmission line. The Grantee agrees that its use of the above-described property will be limited to such purposes. Further, Grantor and Grantee agree that the term of this access easement will be for so long as the said transmission line is operated and maintained.

The grant of this access road by the Grantor will be a non-exclusive easement. Both Grantor and Grantee specifically reserve the right to utilize said easement for itself, its invitees, employees, and others receiving permission from the Grantor and/or the Grantee.

The Grantee will pay for all the physical damages and costs associated with the surveying, constructing, inspecting, operating, and maintaining of this access road over and across the property of the Grantor should the constructing of an access road be required and not currently existing.

This easement is for Grantee's right of vehicular and/or pedestrian ingress and egress, which will include the right to construct, operate, and maintain said access road over and across that property of Grantor as herein described.


This easement will inure to the benefit of and be binding upon the parties, their successors, and assigns.

The Grantor covenants and warrants that he/she/they is the owner of the above-described land, subject to such defects, outstanding interests, liens or encumbrances as may now appear of record.

Grantor hereby waives and releases all rights under and by virtue of the Homestead Exemption Laws of the State of Wyoming.


IN WITNESS WHEREOF, the parties have set his/her/their hand this 11th day of October, 2007.

Grantor:



Don C. Malli

Grantor:


Betty Ann Malli

Acknowledgement


STATE OF Wyoming)
COUNTY OF Sheridan) ss

The foregoing instrument was acknowledged before me, the undersigned notary public,
this 11 day of October, 2007 by Don C. Malli, husband.

My commission expires:

David Anderson

Notary Public



Acknowledgement


STATE OF Wyoming)
COUNTY OF Sheridan) ss

The foregoing instrument was acknowledged before me, the undersigned notary public,
this 11 day of October, 2007 by Betty Ann Malli, wife.


My commission expires:

David Anderson

Notary Public



ACCESS EASEMENT DON C. &




SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson


ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504



428



1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

0950-CA1	10.20	RODS
----------	-------	------

▲				
▲				
▲				
▲				
REV.	DATE	DESCRIPTION		BY
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p style="text-align: center;">ACCESS EASEMENTS</p> <p style="text-align: center;">TONGUE RIVER - DRY FORK</p> <p style="text-align: center;">SHERIDAN COUNTY, WYOMING</p> </div> <div style="width: 35%; text-align: right;">  <p>Ulteigengineers</p> <p><small>Billmarch • Detroit Lakes • Fargo • Minneapolis • Sioux Falls</small></p> </div> </div>				
DRAWN BY: CLS		SCALE: AS SHOWN	PROJECT NO. 305.353	
CHECKED BY: AWE		DATE: 1/5/07	SHEET 1 of 2	
APPROVED BY: AWE				





SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson

ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

ACCESS EASEMENT FOR PARCEL #0970 DON C. & BETTY ANN MALLI



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0970A25	48.60	RODS
0970B25	167.72	RODS
0970C25	201.86	RODS
0970D25	0.44	RODS

STATE OF NORTH DAKOTA
COUNTY OF BURLEIGH

ON THIS 17th DAY OF Sept, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYORS CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE

EXCISED THE SAME

MARLYS MEIER
Notary Public


State of North Dakota



Commission Expires July 30, 2010

Marilyn Meier
MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10

REV	DATE	DESCRIPTION	BY

ACCESS EASEMENTS			
TONGUE RIVER - DRY FORK			
SHERIDAN COUNTY, WYOMING			
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO. 305.353	
CHECKED BY: AWE	DATE: 9/14/07	SHEET 1 of 2	
APPROVED BY: AWE			


 Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls





SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson
 ALAN W. ERICKSON RLS 9079
 ULTEIG ENGINEERS, INC.
 1412 BASIN AVENUE
 BISMARCK, N.D. 58504

ACCESS EASEMENT FOR PARCEL #0980 DON C. & BETTY ANN MALLI



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0980A30	111.04	RODS
0980B30	172.74	RODS

STATE OF NORTH DAKOTA
COUNTY OF BURLEIGH

ON THIS 17th DAY OF Sept, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.


MARLYS MEIER
Notary Public

State of North Dakota


My Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10


REV	DATE	DESCRIPTION	BY
▲			
▲			
▲			
▲			

ACCESS EASEMENTS			
TONGUE RIVER - DRY FORK			
SHERIDAN COUNTY, WYOMING			
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO. 305.353	
CHECKED BY: AWE	DATE: 9/14/07	SHEET 1 of 2	
APPROVED BY: AWE			

Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls



ACCESS EASEMENT FOR PARCEL #1000 DON C. & BETTY ANN MALLI




SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

1000A29	184.04	RODS
1000B29	178.51	RODS
1000C29	57.69	RODS
1000D29	75.49	RODS



SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

STATE OF NORTH DAKOTA
SS
COUNTY OF BURLEIGH

ON THIS 17th DAY OF Sept, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

MARLYS MEIER

Notary Public

State of North Dakota

My Commission Expires July 31, 2010



MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/31/10

△					
△					
△					
REV.	DATE	DESCRIPTION	BY		
ACCESS EASEMENTS TONGUE RIVER - DRY FORK SHERIDAN COUNTY, WYOMING					
DRAWN BY:	CLS	SCALE:	AS SHOWN	PROJECT NO.	305.353
CHECKED BY:	AWE	DATE:	9/14/07	SHEET	1 of 2
APPROVED BY:	AWE				

Ulteigengineers

Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls

ACCESS EASEMENT DON C. &





SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson
ALAN W. ERICKSON, RLS 9079
ULTEIC ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

OR PARCEL #1000-D TY ANN MALLI

434



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

1000-DA28	79.10	RODS
-----------	-------	------

STATE OF NORTH DAKOTA
COUNTY OF BURLEIGH

ON THIS 17th DAY OF Sep, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE, AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

MARLYS MEIER
Notary Public

State of North Dakota

My Commission Expires July 30, 2010



MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10

△			
△			
△			
REV.	DATE	DESCRIPTION	BY
ACCESS EASEMENTS			
TONGUE RIVER - DRY FORK			
SHERIDAN COUNTY, WYOMING			
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO. 305.353	
CHECKED BY: AWE	DATE: 9/14/07	SHEET 1 of 2	
APPROVED BY: AWE			

Ulteigengineers

Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls

ACCESS EASEMENT DON C. & J




SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson
ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

FOR PARCEL #1010 Y ANN MALLI

438



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

1010A28	11.35	RODS
---------	-------	------


STATE OF NORTH DAKOTA
COUNTY OF BURLEIGH

ON THIS 17th DAY OF Sep, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

MARLYS MEIER
Notary Public
State of North Dakota



Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10

REV.	DATE	DESCRIPTION	BY
DRAWN BY: CLS		SCALE: AS SHOWN	PROJECT NO. 305.353
CHECKED BY: AWE		DATE: 9/14/07	SHEET 1 OF 2
APPROVED BY: AWE		<div style="text-align: center;">  </div>	
<div style="text-align: center;"> <p>ACCESS EASEMENTS</p> <p>TONGUE RIVER - DRY FORK</p> <p>SHERIDAN COUNTY, WYOMING</p> </div>			
Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls			

94

ACCESS EASEMENT DON C. 8



SURVEYORS CERTIFICATE



I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson
ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

439

FOR PARCEL #0980-A TTY ANN MALLI

440



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0980-AA31 161.72 RODS

STATE OF NORTH DAKOTA
SS

COUNTY OF BURLEIGH

ON THIS 12th DAY OF Jan, 2007, BEFORE ME PERSONALLY APPEARED
ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED
THE FOREGOING SURVEYOR'S CERTIFICATE, AND HE ACKNOWLEDGED TO ME THAT HE
EXECUTED THE SAME.

MARLYS MEIER


Notary Public

State of North Dakota

My Commission Expires July 30


MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES

12/30/09 95

REV.	DATE	DESCRIPTION	BY
ACCESS EASEMENTS			
TONGUE RIVER - DRY FORK			
SHERIDAN COUNTY, WYOMING			
DRAWN BY:	CLS	SCALE:	PROJECT NO.
CHECKED BY:	AWE	AS SHOWN	305.353
APPROVED BY:	AWE	DATE:	1/8/07
SHEET		1 of 2	
			
Blanchard - Detroit Lakes - Fargo - Minneapolis - Sioux Falls			

96

ACCESS EASEMENT DON C. &



SURVEYORS CERTIFICATE


I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

Alan W. Erickson
ALAN W. ERICKSON RLS 9079
ULTEIG ENGINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

441

FOR PARCEL #0980-B
TTY ANN MALLI

442



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0980-BA32 11.25 RODS

STATE OF NORTH DAKOTA
SS

COUNTY OF BURLEIGH

ON THIS 1st DAY OF Jan, 2007, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE, AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

MARLYS MEIER

Notary Public


State of North Dakota

My Commission Expires July 30 2010

MARLYS MEIER, NOTARY PUBLIC
BURLEIGH COUNTY, NORTH DAKOTA
MY COMMISSION EXPIRES 7/30/10 97

REV.	DATE	DESCRIPTION	BY

ACCESS EASEMENTS		
TONGUE RIVER - DRY FORK		
SHERIDAN COUNTY, WYOMING		
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO. 305.353
CHECKED BY: AWE	DATE: 1/8/07	SHEET 1 of 2
APPROVED BY: AWE		



Ulteig engineers

Denmark - Detroit Lakes - Fargo - Minneapolis - Sioux Falls