Return Recorded Document to: Basin Electric Power Cooperative 12100 N Highway 59 Gillette, Wyoming 82716 659817 EASEMENT BOOK 512 PAGE 0182 RECORDED 01/12/2010 AT 11:25 AM AUDREY KOLTISKA, SHERIDAN COUNTY CLERK

PROJECT NO. 222 PARCEL NO. 0320, 0330, 0340, 0360, 0410, 0430

GRANT OF SUPPLEMENTAL ACCESS EASEMENT

The undersigned, hereinafter referred to as Grantor, whether one or more, whose land is located in the County of Sheridan, State of Wyoming, for and in consideration of Ten Dollars (\$10.00) and other good and valuable consideration, in hand paid, receipt whereof is hereby acknowledged, CONVEYS unto **BASIN ELECTRIC POWER COOPERATIVE**, a North Dakota Corporation, hereinafter referred to as Grantee, its successors and assigns, a supplemental access easement thirty (30) feet in width (being 15 feet either side of the centerline) described as follows:

ACCESS EASEMENT

ACCESS EASEMENT 0320A15

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHWEST ONE-QUARTER OF SECTION 15-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID SECTION 15; THENCE S89°02'41"E ON THE SOUTH LINE OF SAID SECTION A DISTANCE OF 1627.71 FEET; THENCE N00°57'19"E A DISTANCE OF 1085.29 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT BEING ALSO THE POINT OF BEGINNING; THENCE N28°54'52"E A DISTANCE OF 190.92 FEET; THENCE N57°33'13"W A DISTANCE OF 213.91 FEET; THENCE N48°13'19"W A DISTANCE OF 244.56 FEET; THENCE N78°29'55"W A DISTANCE OF 144.89 FEET; THENCE N88°21'06"W A DISTANCE OF 115.70 FEET TO THE NORTHEASTERLY SIDELINE OF SAID POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 55.15 RODS, IN LENGTH.

ACCESS EASEMENT 0330A22

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 22-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SAID SECTION 22; THENCE N00°59'59"E ON THE EAST LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 523.07 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE N47°54'52"W ON SAID SIDELINE A DISTANCE OF 266.66 FEET TO THE POINT OF BEGINNING; THENCE N15°32'30"E A DISTANCE OF 33.13 FEET; THENCE N08°01'10"W A DISTANCE OF 227.98 FEET; THENCE N52°22'07"W A DISTANCE OF 542.49 FEET; THENCE N62°08'26"W A DISTANCE OF 187.71 FEET; THENCE S85°12'21"W A DISTANCE OF 91.46 FEET; THENCE S00°45'07"E A DISTANCE OF 28.43 FEET TO THE NORTHEASTERLY SIDELINE OF SAID POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM. EAST ZONE.

SAID CENTERLINE BEING 67.35 RODS, IN LENGTH.

Page 1 of 5

ACCESS EASEMENT 0330-AA22

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE EAST ONE-HALF OF THE NORTHEAST ONE-QUARTER OF SECTION 22-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SAID SECTION 22; THENCE N00°59'59"E ON THE EAST LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 950.55 FEET TO THE POINT OF BEGINNING; THENCE N87°44'43"W A DISTANCE OF 228.46 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0330A22 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 13.85 RODS, IN LENGTH.

ACCESS EASEMENT 0330-BA23

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE WEST ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 23-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 23; THENCE N00°59'59"E ON THE WEST LINE OF SAID NORTHWEST ONE-QUARTER A DISTANCE OF 950.55 FEET TO THE POINT OF BEGINNING; THENCE S87°44'43"E A DISTANCE OF 127.84 FEET; THENCE N64°25'06"E A DISTANCE OF 88.94 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0340A23 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 13.14 RODS, IN LENGTH.

ACCESS EASEMENT 0340C23

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHWEST ONE-QUARTER OF SECTION 23-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 23; THENCE S89°00'19"E ON THE NORTH LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 599.85 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S47°54'52"E ON SAID SIDELINE A DISTANCE OF 691.90 FEET TO THE POINT OF BEGINNING; THENCE N80°09'46"E A DISTANCE OF 151.47 FEET; THENCE S57°30'24"E A DISTANCE OF 87.55 FEET; THENCE S33°05'43"E A DISTANCE OF 150.87 FEET; THENCE S08°30'41"W A DISTANCE OF 114.30 FEET TO THE NORTHEASTERLY SIDELINE OF SAID POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 30.56 RODS, IN LENGTH.

ACCESS EASEMENT 0360A25

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN TRACT 46 OF T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT CORNER ONE OF SAID TRACT 46; THENCE S00°24'07"E ON THE EAST LINE OF SAID TRACT A DISTANCE OF 880.19 FEET TO THE SOUTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE N77°28'50"W ON SAID SIDELINE A DISTANCE OF 1018.61 FEET TO THE POINT OF BEGINNING; THENCE S31°08'41"W A DISTANCE OF 305.33 FEET TO THE CENTERLINE OF ACCESS

Page 2 of 5

EASEMENT 0340-DA25 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 18.50 RODS, IN LENGTH.

ACCESS EASEMENT 0360B26

A STRIP OF LAND LOCATED IN TRACT 47, TOWNSHIP 57 NORTH, RANGE 81 WEST OF THE SIXTH PRINCIPLE MERIDIAN, SHERIDAN COUNTY, WYOMING. SAID STRIP BEING 30 FEET WIDE LYING 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.

COMMENCING AT CORNER NUMBER FOUR SAID TRACT 47; THENCE S45°10'35"E A DISTANCE OF 694.93 FEET TO THE POINT OF BEGINNING; THENCE S21°19'59"W A DISTANCE OF 262.80 FEET; THENCE N87°46'10"W A DISTANCE OF 155.95 FEET; THENCE N78°48'39"W A DISTANCE OF 257.57 MORE OR LESS TO THE WEST LINE OF SAID TRACT NUMBER 47 FEET AND THERE TERMINATING. THIS EASEMENT TERMINATES WHERE IT CONNECTS TO EXISTING ACCESS EASEMENT 0340-CA26. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 40.99 RODS, IN LENGTH.

ACCESS EASEMENT 0410C29

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SECTION 29- T57N-R80W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH ONE-QUARTER CORNER OF SAID SECTION 29; THENCE N00°12'34"W ON THE EAST LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 399.94 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE N50°02'04"W ON SAID SIDELINE A DISTANCE OF 1795.88 FEET TO THE POINT OF BEGINNING; THENCE N01°36'45"W A DISTANCE OF 207.99 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0410B29 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 12.61 RODS, IN LENGTH.

ACCESS EASEMENT 0410D29

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SECTION 29- T57N-R80W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 29; THENCE S00°49'10"E ON THE WEST LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 221.32 FEET TO THE SOUTHWESTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S50°02'04"E ON SAID SIDELINE A DISTANCE OF 194.57 FEET TO THE POINT OF BEGINNING; THENCE S48°00'01"W A DISTANCE OF 107.85 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0410A29 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 6.54 RODS, IN LENGTH.

ACCESS EASEMENT 0430A29

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHEAST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SECTION 29- T57N-R80W OF

Page 3 of 5

THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH ONE-QUARTER CORNER OF SAID SECTION 29; THENCE N00°12'34"W ON THE EAST LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 399.94 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE N50°02'04"W ON SAID SIDELINE A DISTANCE OF 913.90 FEET TO THE POINT OF BEGINNING; THENCE N34°39'40"E A DISTANCE OF 115.96 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0410-BA29 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 7.03 RODS, IN LENGTH.

This supplemental easement is subject to the same terms and conditions as agreed to in the Access Agreement recorded in Book <u>481</u> Page <u>0227</u> in the Office of the Recorder of Sheridan County, Wyoming between <u>The Hutton Ranch</u>, a <u>Wyoming Limited Partnership</u> and Basin Electric Power Cooperative and is for the benefit of and will be appurtenant to a transmission line easement in the County of <u>Sheridan</u>, State of Wyoming, owned or to be acquired by the Grantee, a portion of which is described as follows:

Parcel #0320
SW1/4SE1/4 SECTION 15-T57N-R81W
Parcel #0330
NE1/4 SECTION 22-T57N-R81W
Parcel #0340
NW1/4; SW1/4 SECTION 23-T57N-R81W
Parcel #0360
GOVERNMENT LOT 1 SECTION 26-T57N-R81W
TRACT 49; TRACT 47; TRACT 46 -T57N-R81W
Parcel #0410
NW1/4SW1/4 SECTION 29-T57N-R80W
Parcel #0430
SW1/4SE1/4; S1/2SW1/4 SECTION 29-T57N-R80W

IN WITNESS WHEREOF, the parties have set his/her/their hand thisday o
, 2010.
Grantor:
The Hutton Ranch, a Wyoming Limited Partnership

By Molody B. Hulon Title Portney


Page 4 of 5


Acknowledgement

STATE OF WYOMING)	
COUNTY OF MONTH () SN	eridan ND.
The foregoing instrument was acknown 7+11	owledged before me, the undersigned notary public,
this 7th day of January, 2010 b	ybeing
duly authorized to act for and $^{f U}$ on beha	alf of The Hutton Ranch, a Wyoming Limited
Partnership.	
My commission expires:	Daniy Jo Dingman
	Notary Public



ACCESS EASEME THE H






SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAY OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOQUMENT WILL VOID THIS CERTIFICATION.

AZAN W. ERICKSON RIS 9079 ULTEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.O. 58504

<u>Γ FOR PARCEL #0320</u>° ΓΤΟΝ RANCH





SURVEYORS NOTE

- BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.


ACCESS EASEMENT

0320A15 · 55.15 RODS


NORTH DAXOTAL
SS
F BURLEIGH
THIS DAY OF THE PERSON DESCRIBED IN AND WHO EXECUTED
JOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE
THE SAME.

MARLYS MEIER
Notary Public
ate of North Dakota
ission Expires July 30, 2010

MARLY MEER, NOTATY PUBLIC BURGER COUNTY, NORTH DAYO'S MY COMMISSION EXPIRES 10 10 10



ACCESS EASEMI THE E



Date N Date N COMING


SURVEYORS CERTIFICATE


I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNIDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL YOURD THIS CRITICISATION.

Ky Comi

NAN W. ERICKSON RLS 9079 JLTEIG ENGINEERS, INC. 1412 BASIN AVENUE RISMARCK N.D. 58504

190 T FOR PARCEL #0330 FTON RANCH





- SURVEYORS NOTE

 1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0330A22 67.35 RODS -

NORTH DAKOTA|


SS|


BURLEIGH |

BURLEIGH |


DAY OF 2008, BEFORE ME PERSONALLY APPEARED RICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHIO EXECUTED SOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE THE SAME.

LYS MEIER ary Public f North Dakota Expires July 30 2010





ACCESS EASEMEI THE I



SURVEYORS CERTIFICATE I. ALAN W. ERICKSON, A REGISTERE WYOMING, HEREBY CERTIFY THAT TO PREPARED BY ME OR UNDER MY TO


WYOMING


I. ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

My Con

ALAN W. ERICKSON RLS 9079 ULTEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.D. 58504

FOR PARCEL #0330-A





SURVEYORS NOTE

- BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT


0330-AA22 13.85 RODS

RLYS MEIER otary Public of North Dakota in Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC MY COMMISSION EXPIRES 123010

$\frac{\Delta}{\Delta}$					
REV.	DATE		DESCRIPTION		BY
	_	DRIVE AROUND	•		
\vdash		AN COUNTY, W			
CHECKED	. 013	SCALE: AS SHOWN	905.353	Ulteig engin	eers
AFFROVE	,	5-22-08	SHEET TOP 2	Blemarck - Detroit Lakes - Fargo - Minneag	ols - Sioux Falls

ACCESS EASEMEI THE I



SURVEYORS SURVEYORS I, ALAN W. WYOMING, WYOMIN

WYOMING


SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR SUNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEGGE. ANY ALTERATION

My Com

ALAN W. ERICKSON RLS 9079 ULTEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.D. 58504

FOR PARCEL #0330-B





- SURVEYORS NOTE

 1. BASIS OF BEARINGS IS THE
 WYOMING STATE PLANE
 COORDINATE SYSTEM, EAST
 ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT 0330-BA23 13.14 RODS ~

NORTH DAKOTA]

SSI

F BURLEICH

THIS O DAY OF 2008, BEFORE ME PERSONALLY APPEARED
RICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED
JOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE


THE SAME

LYS MEIER ary Public I North Dakota I Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC BURLEIGH COUNTY, NORTH DAKOTA MY COMMISSION EXPIRES 1 30 10

4.					
IÀI					
			•		
MEV.	DATE		DESCRIPTION		87
		DRIVE AROUND	os		
	TONGUE RIVER - DRY FORK				
	SHERIC	OAN COUNTY, W	YOMING	1 Utania	
DRAWN BY:	CLS	SCALE	PROJECT NO.	- Ulteig _{engin}	eers
CHECKED	m AWE	AS SHOWN	305.353		
APPROVED	er: AWE		SHEET TOP 2	Blamarck - Detroit Lakes - Fargo - Minnago	olis : Sioux Falls

ACCESS EASEMI THE H





SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARABE BY ME OR UNDER MY DIRECT SUPERWISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEGE. ANY ALTERATION OF THIS ODGIMENT WILL VOID THIS CERTIFICATION.


¶ My €

ALAN W. ERICKSON RLS 9079 ULTEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.D. 58504

T FOR PARCEL #0340 TON RANCH







- SURVEYORS NOTE

 1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT


0340C23 | 30.56 RODS *

NORTH DAKOTA)


BURLEICH


B

AARLYS MEIER
Notary Public
te of North Dakota
sion Expires July 30, 2010



ACCESS EASEMI THE H






SURVEYORS CERTIFICATE


I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERWISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CENTRICATION.

My

ALAN W. ERICKSON RLS 9079 ULITEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.D. 58504

T FOR PARCEL #0360 FTON RANCH





- SURVEYORS NOTE

 1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.


ACCESS EASEMENT


0360A25 | 18.50 RODS -


DAY OF TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED IN SCRIPTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE

MARLYS MEIER Notary Public tate of North Dakota ission Expires July 30, 2010 NORTH DAKOTA

(PIRES 7 3 0 0







ACCESS EASEMENT FOR PARCEL #0360 THE HUTTON RANCH A WYOMING LIMITED **PARTNERSHIP**

SCALE 1" = 200'

400'

200

SURVEYORS NOTES


1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

200

2. DISTANCES SHOWN ARE GROUND DISTANCES - GRID SCALE FACTOR OF 0.99976648.

ACCESS EASEMENT

0360B26 40.99 RODS ·



SURVEYORS CERTIFICATE

I, MATTHEW L. WEEKS, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

MATTHEW L. WEEKS, RLS 10552

BASIN ELECTRIC POWER COOPERATIVE 1717 E INTERSTATE AVENUE BISMARCK, ND 58503

STATE OF NORTH DAKOTA } ss COUNTY OF BURLEIGH

ON THIS 2^{100} DAY OF 500, 200, BEFORE ME PERSONALLY APPEARED MATTHEW L. WEEKS, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYORS CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

DAVID NELSON

Notary Public, State of North Dakota My Commission Expires May 11, 2010 DAVID NELSON, NOTARY PUBLIC BURLEIGH COUNTY, NORTH DAKOTA MY COMMISSION EXPIRES 5-11-2010

FACILITY:

TRANSMISSION SYSTEM MAINTENANCE

Location/unit: 223 – Tongue River Substation to DFS SWITCHYARD 230KV LINE

ACCESS EASEMENTS TONGUE RIVER TO DRY FORK

DRAWN BY:

R. LANG 11/09

APPROVED BY:

BASIN ELECTRIC POWER COOPERATIVE

A Touchstone Energy* Cooperative

ACCESS EASEMI THE F



ocsional Land Sunda ocsional Land Sunda 9079 9079 Oate Production


SURVEYORS CERTIFICATE


I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL YOUR DIRECTED CHANN.

My

ALAN W. ERICKSON RLS 9079
ULTEIG ENCINEERS, INC.
1412 BASIN AVENUE
BISMARCK, N.D. 58504

T FOR PARCEL #0410






SURVEYORS NOTE

- BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.


ACCESS EASEMENT

0410C29 12.61 RODS /

MARLYS MEIER Notary Public late of North Dakota ission Expires July 30, 2010 p MARLYS MEIER, NOTARY PUBLIC BURLEICH COUNTY, NORTH DAVOTA MY COMMISSION EXPIRES



ACCESS EASEMENT FOR THE F



SORVEYORS CERTIFICATE

ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VIOLD THIS CERTIFICATION.


ALAN W. ERICKSON-RES-9079

UTEG-ENGINEERS, INC.

412 BASIN AVENUE

PARCEL #0410 (additional)





SURVEYORS NOTE

- BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT
0410D29 | 6.54 RODS

ORTH DAKOTA)

BURLEIGH

BUY OF 2008, BEFORE ME PERSONALLY APPEARED


RICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED

RICKSON RICKOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED

RICKSON RICKO

MARLYS MEIER
Notary Public
State of North Dakota
ommission Expires July 30, 2010

MARYS MEIER, NOTAY PUBLIC BURLEISH COUNTY, NORTH DAKOTA MY COMMISSION EXPIRES 130(10)



ACCESS EASEMI THE F



SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTER

WYOMING, HEREBY CERTIFY THAT IT

PREPARED BY ME OR UNIFOR MY IT

WYOMING


MACHINESON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEGGE. ANY ALTERATION OF THIS DOCUMENT, WILL VOID THIS CERTIFICATION.


ALAN W. ERICKSON RLS 9079 ULTEIG ENGINEERS, INC. 1412 BASIN AVENUE BISMARCK, N.D. 58504

205

My Com

206 T FOR PARCEL #0430 TTON RANCH





- SURVEYORS NOTE

 1. BASIS OF BEARINGS IS THE
 WYOMING STATE PLANE
 COORDINATE SYSTEM, EAST
 ZONE.
- 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0430A29

7.03 RODS

RLYS MEIER otary Public

of North Dakota in Expires July 30, 2010 🖟

