

Return Recorded Document to:  
Basin Electric Power Cooperative  
12100 N Highway 59  
Gillette, Wyoming 82716

659818 EASEMENT  
BOOK 512 PAGE 0207  
RECORDED 01/12/2010 AT 11:25 AM  
AUDREY KOLTISKA, SHERIDAN COUNTY CLERK

Project No. 2222  
Parcel No. 0130, 0160, 0180, 0200, 0240

### Supplemental to Access Agreement

This easement is entered into **Bert W. Dow, Trustee of the Bert W. Dow Revocable Trust dated March 6, 2003** ("Owner") whose address is 63 Dow Road, Sheridan, Wyoming 82801 and Basin Electric Power Cooperative ("Operator") whose address is 1717 East Interstate Avenue, Bismarck, North Dakota 58503-0564.

#### Recitals

- A. Owner and Basin entered into a Transmission Line Easement on this date.
- B. Basin desires to obtain access easements to the property described in the Transmission Line Easement.

For value received, Owner grants to Basin, its successors and assigns a nonexclusive, private easement for roadway purposes over the following described land situate in Sheridan County, Wyoming:

See attached Exhibit A

This easement is subject to the same terms and conditions as agreed to in the Access Agreement recorded in Book 481, Page 0268 in the Office of the Recorder of Sheridan County, Wyoming between Bert W. Dow, Trustee of the Bert W. Dow Revocable Trust dated March 6, 2003 and Basin Electric Power Cooperative.

Dated this 7<sup>th</sup> day of January, 2010.

**Bert W. Dow, Trustee of the Bert W. Dow Revocable Trust  
dated March 6, 2003**

Bert W. Dow  
**Bert W. Dow, Trustee  
Basin Electric Power Cooperative**

By: Mike Murray  
**Mike Murray**  
Title: Property and Right of Way Supervisor

Acknowledgement


208

STATE OF Wyoming  
COUNTY OF Campbell ) ss Sheridan ND.

The foregoing instrument was acknowledged before me, the undersigned notary public, this 7<sup>th</sup> day of January, 2010 by Bert W. Dow, Trustee of the Bert W. Dow Revocable Trust dated March 6, 2003.

My commission expires:

Nancy Jo Dingman  
Notary Public



Acknowledgement

STATE OF Wyoming  
COUNTY OF Campbell ) ss Sheridan ND.

The foregoing instrument was acknowledged before me, the undersigned notary public, this 11<sup>th</sup> day of January, 2010 by Mike Murray, Property & Right-of-Way Supervisor being duly authorized to act for and on behalf of Basin Electric Power Cooperative.

My commission expires:

Nancy Jo Dingman  
Notary Public



## EXHIBIT "A"

### ACCESS EASEMENT 0130A30

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 30-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE EAST ONE-QUARTER CORNER OF SAID SECTION 30; THENCE N88°51'00"W ON THE SOUTH LINE OF SAID NORTHEAST ONE-QUARTER A DISTANCE OF 2522.62 FEET; THENCE N01°09'00"E A DISTANCE OF 287.65 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT BEING ALSO THE POINT OF BEGINNING; THENCE N04°18'14"E A DISTANCE OF 174.42 FEET; THENCE N09°10'01"E A DISTANCE OF 305.31 FEET; THENCE N76°07'01"E A DISTANCE OF 86.12 FEET; THENCE N43°54'38"E A DISTANCE OF 109.70 FEET; THENCE S73°14'53"E A DISTANCE OF 177.56 FEET; THENCE N72°56'44"E A DISTANCE OF 396.36 FEET; THENCE N61°58'49"E A DISTANCE OF 458.90 FEET; THENCE N65°07'22"E A DISTANCE OF 276.95 FEET; THENCE N25°31'39"E A DISTANCE OF 257.61 FEET, MORE OR LESS, TO THE CENTERLINE OF ACCESS EASEMENT 0130B30 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 135.93 RODS, IN LENGTH.

### ACCESS EASEMENT 0130-AA19

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE WEST ONE-HALF OF THE SOUTHEAST ONE-QUARTER, THE EAST ONE-HALF OF THE SOUTHWEST ONE-QUARTER, AND THE EAST ONE-HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 19-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH ONE-QUARTER CORNER OF SAID SECTION 19; THENCE S88°23'40"E ON THE SOUTH LINE OF SAID SECTION A DISTANCE OF 869.58 FEET TO THE POINT OF BEGINNING; THENCE N32°26'42"W A DISTANCE OF 333.45 FEET; THENCE N22°07'20"W A DISTANCE OF 334.15 FEET; THENCE N35°27'32"W A DISTANCE OF 1185.02 FEET; THENCE N45°20'00"W A DISTANCE OF 298.60 FEET; THENCE N22°16'54"W A DISTANCE OF 287.79 FEET; THENCE N13°33'55"W A DISTANCE OF 507.34 FEET; THENCE N30°49'47"W A DISTANCE OF 268.97 FEET; THENCE N17°08'47"W A DISTANCE OF 233.76 FEET; THENCE N23°22'27"W A DISTANCE OF 222.69 FEET; THENCE N50°09'19"W A DISTANCE OF 468.49 FEET; THENCE N41°02'50"W A DISTANCE OF 98.26 FEET, MORE OR LESS, TO THE CENTERLINE OF ACCESS EASEMENT 0130-BA19 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 256.88 RODS, IN LENGTH.

### ACCESS EASEMENT 0130B30

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 30-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH ONE-QUARTER CORNER OF SAID SECTION 30; THENCE S88°23'40"E ON THE NORTH LINE OF SAID SECTION A DISTANCE OF 869.58 FEET TO THE POINT OF BEGINNING; THENCE S32°26'42"E A DISTANCE OF 596.90 FEET; THENCE S32°56'32"E A DISTANCE OF 569.42 FEET; THENCE S26°42'38"E A DISTANCE OF 206.16 FEET; THENCE S35°43'43"E A DISTANCE OF 546.43 FEET; THENCE S27°38'05"E A DISTANCE OF 564.24 FEET; THENCE S24°24'54"E A DISTANCE OF 329.86 FEET TO THE NORTHERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 170.48 RODS, IN LENGTH.

**ACCESS EASEMENT 0160A28**

210

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHWEST ONE-QUARTER OF SECTION 28-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID SECTION 28; THENCE S89°02'46"E ON THE SOUTH LINE OF SAID SOUTHWEST ONE-QUARTER A DISTANCE OF 472.74 FEET THE POINT OF BEGINNING; THENCE N24°38'43"E A DISTANCE OF 271.02 FEET; THENCE N11°48'26"E A DISTANCE OF 347.62 FEET; THENCE N23°48'02"E A DISTANCE OF 250.52 FEET; THENCE N16°14'48"E A DISTANCE OF 513.33 FEET; THENCE N17°35'08"E A DISTANCE OF 399.67 FEET; THENCE N56°30'18"E A DISTANCE OF 87.59 FEET; THENCE N72°55'57"E A DISTANCE OF 144.18 FEET TO THE SOUTHWESTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 122.05 RODS, IN LENGTH.

**ACCESS EASEMENT 0160B28**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE EAST ONE-HALF OF THE SOUTHWEST ONE-QUARTER, THE WEST ONE-HALF OF THE SOUTHEAST ONE-QUARTER, AND THE SOUTH ONE-HALF OF THE NORTH ONE-HALF SECTION 28-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH ONE-QUARTER CORNER OF SAID SECTION 28; THENCE S89°02'31"E ON THE SOUTH LINE OF SAID SECTION A DISTANCE OF 123.42 FEET; THENCE N00°57'29"E A DISTANCE OF 660.88 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT BEING ALSO THE POINT OF BEGINNING; THENCE N20°22'25"E A DISTANCE OF 294.72 FEET; THENCE N37°48'31"W A DISTANCE OF 821.41 FEET; THENCE N22°09'33"W A DISTANCE OF 90.95 FEET; THENCE N03°37'01"W A DISTANCE OF 258.91 FEET; THENCE N04°10'45"E A DISTANCE OF 599.65 FEET; THENCE N25°22'03"E A DISTANCE OF 140.15 FEET; THENCE N49°18'09"E A DISTANCE OF 141.01 FEET; THENCE N59°18'18"E A DISTANCE OF 929.14 FEET; THENCE S88°39'00"E A DISTANCE OF 75.40 FEET; THENCE S73°10'13"E A DISTANCE OF 178.23 FEET; THENCE N88°29'34"E A DISTANCE OF 356.51 FEET; THENCE N65°16'52"E A DISTANCE OF 91.03 FEET; THENCE N41°49'32"E A DISTANCE OF 98.12 FEET, MORE OR LESS, TO THE CENTERLINE OF BADGER CREEK ROAD, SHERIDAN COUNTY, WYOMING, AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 246.98 RODS, IN LENGTH.

**ACCESS EASEMENT 0160C28**

A STRIP OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 28, TOWNSHIP 58 NORTH, RANGE 82 WEST OF THE SIXTH PRINCIPLE MERIDIAN, SHERIDAN COUNTY, WYOMING. SAID STRIP BEING 30 FEET WIDE LYING 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.

COMMENCING AT THE SOUTHWEST CORNER OF SAID SOUTHEAST QUARTER SECTION 28; THENCE N51°36'38"E A DISTANCE OF 600.92 FEET TO THE POINT OF BEGINNING; THENCE N12°16'13"E A DISTANCE OF 179.22 FEET; THENCE N34°39'57"E A DISTANCE OF 123.79 FEET; THENCE N42°36'24"W A DISTANCE OF 52.29 FEET; THENCE N88°25'02"W A DISTANCE OF 99.88 FEET; THENCE N49°43'30"W A DISTANCE OF 117.18 FEET; THENCE N35°03'15"W A DISTANCE OF 205.09 FEET AND THERE TERMINATING. THIS EASEMENT TERMINATES WHERE IT CONNECTS TO EXISTING ACCESS EASEMENT 0160B28. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 47.12 RODS, IN LENGTH.

**ACCESS EASEMENT 0160D28**

A STRIP OF LAND LOCATED IN THE SOUTHEAST QUARTER OF SECTION 28, TOWNSHIP 58 NORTH, RANGE 82 WEST OF THE SIXTH PRINCIPLE MERIDIAN, SHERIDAN COUNTY, WYOMING. SAID STRIP BEING 30 FEET WIDE LYING 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.



COMMENCING AT THE SOUTHWEST CORNER OF SAID SOUTHEAST QUARTER SECTION 28; THENCE N54°29'14"E A DISTANCE OF 478.82 FEET TO THE POINT OF BEGINNING; THENCE S30°51'27"W A DISTANCE OF 181.90 FEET; THENCE S13°11'19"W A DISTANCE OF 129.60 FEET TO THE SOUTH LINE OF SAID SOUTHEAST QUARTER SECTION 28 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 18.90 RODS, IN LENGTH.

**ACCESS EASEMENT 0160AA33**

A STRIP OF LAND LOCATED IN THE NORTHEAST QUARTER OF SECTION 33, TOWNSHIP 58 NORTH, RANGE 82 WEST OF THE SIXTH PRINCIPLE MERIDIAN, SHERIDAN COUNTY, WYOMING. SAID STRIP BEING 30 FEET WIDE LYING 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE.

COMMENCING AT THE NORTHWEST CORNER OF SAID NORTHEAST QUARTER SECTION 33; THENCE S89°05'59"E ALONG THE NORTH LINE OF SAID NORTHEAST QUARTER SECTION 33 A DISTANCE OF 266.98 FEET TO THE POINT OF BEGINNING; THENCE S13°11'19"W A DISTANCE OF 129.60 FEET; THENCE S00°21'45"W A DISTANCE OF 113.07 FEET; THENCE S21°19'43"E A DISTANCE OF 140.60 FEET; THENCE S88°30'02"E A DISTANCE OF 495.90 FEET; THENCE S59°09'35"E A DISTANCE OF 458.83 FEET; THENCE S49°49'14"E A DISTANCE OF 115.06 FEET; THENCE S37°27'42"E A DISTANCE OF 150.58'; THENCE S77°03'05"E A DISTANCE OF 31.26 FEET; THENCE N76°06'24"E A DISTANCE OF 159.16 FEET; THENCE N63°58'41"E A DISTANCE OF 71.36 FEET AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 113.04 RODS, IN LENGTH.

**ACCESS EASEMENT 0180-BA35**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SECTION 35-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SECTION 3-T157N-R82W; THENCE S89°38'18"W ON THE NORTH LINE OF SAID SECTION 3 A DISTANCE OF 256.72 FEET; THENCE N01°07'19"E A DISTANCE OF 722.11 FEET TO THE POINT OF BEGINNING; THENCE S48°00'57"E A DISTANCE OF 150.63 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0190A35 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 9.13 RODS, IN LENGTH.

**ACCESS EASEMENT 0180C34**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTH ONE-HALF OF SECTION 34-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE WEST ONE-QUARTER CORNER OF SAID SECTION 34; THENCE N00°53'10"E ON THE WEST LINE OF SAID NORTH ONE-HALF A DISTANCE OF 267.15 FEET; THENCE S88°48'52"E A DISTANCE OF 1324.14 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT BEING ALSO THE POINT OF BEGINNING; THENCE N39°11'51"E A DISTANCE OF 88.03 FEET; THENCE N69°46'40"E A DISTANCE OF 159.57 FEET; THENCE S84°53'44"E A DISTANCE OF 214.67 FEET; THENCE N82°19'00"E A DISTANCE OF 122.58 FEET; THENCE N42°56'39"E A DISTANCE OF 108.16 FEET; THENCE N14°24'20"E A DISTANCE OF 498.21 FEET; THENCE N07°07'52"E A DISTANCE OF 452.34 FEET; THENCE N16°24'28"E A DISTANCE OF 192.69 FEET; THENCE N32°08'03"E A DISTANCE OF 248.99 FEET; THENCE N22°34'56"E A DISTANCE OF 306.88 FEET; THENCE N49°50'53"E A DISTANCE OF 159.20 FEET, MORE OR LESS, TO THE CENTERLINE OF BADGER CREEK ROAD, SHERIDAN COUNTY, WYOMING, AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 154.63 RODS, IN LENGTH.

**ACCESS EASEMENT 0180D34**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE SOUTHEAST ONE-QUARTER OF SECTION 34-T58N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SECTION 3-T57N-R82W; THENCE S89°38'18"W ON THE NORTH LINE OF SAID SECTION 3 A DISTANCE OF 256.72 FEET; THENCE N01°07'19"E A DISTANCE OF 722.11 FEET TO THE POINT OF BEGINNING; THENCE N48°00'57"W A DISTANCE OF 252.70 FEET; THENCE N32°59'34"W A DISTANCE OF 266.50 FEET; THENCE N41°44'45"W A DISTANCE OF 321.57 FEET; THENCE N83°10'31"W A DISTANCE OF 177.53 FEET; THENCE S15°35'27"W A DISTANCE OF 232.21 FEET; THENCE S39°02'18"W A DISTANCE OF 90.49 FEET; THENCE S06°30'38"W A DISTANCE OF 205.56 FEET TO THE NORTHEASTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 93.73 RODS, IN LENGTH.

**ACCESS EASEMENT 0200A2**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE NORTHEAST ONE-QUARTER OF SECTION 2-T57N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTH ONE-QUARTER CORNER OF SECTION 2-T157N-R82W; THENCE S18°46'32"W A DISTANCE OF 520.00 FEET TO THE SOUTHWESTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT; THENCE S71°13'28"E ON SAID CENTERLINE A DISTANCE OF 492.68 FEET TO THE POINT OF BEGINNING; THENCE S26°03'48"E A DISTANCE OF 159.82 FEET; THENCE S44°36'44"E A DISTANCE OF 106.29 FEET; THENCE S60°31'58"E A DISTANCE OF 110.88 FEET; THENCE S72°44'39"E A DISTANCE OF 108.93 FEET; THENCE S82°24'11"E A DISTANCE OF 107.99 FEET; THENCE N66°44'47"E A DISTANCE OF 107.76 FEET; THENCE N57°29'45"E A DISTANCE OF 109.64 FEET TO THE SOUTHWESTERLY SIDELINE OF SAID POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 49.17 RODS, IN LENGTH.

**ACCESS EASEMENT 0240A6**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE WEST ONE-HALF OF THE SOUTHWEST ONE-QUARTER OF SECTION 6-T57N-R81W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CLOSING CORNER OF SAID SECTION 6; THENCE N02°09'42"W A DISTANCE OF 2100.55 FEET TO THE POINT OF BEGINNING; THENCE N56°20'38"E A DISTANCE OF 117.27 FEET; THENCE N19°21'29"E A DISTANCE OF 111.12 FEET TO THE SOUTHWESTERLY SIDELINE OF A 125.00 FOOT POWERLINE EASEMENT AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 13.84 RODS, IN LENGTH

**ACCESS EASEMENT 0240-AA1**

A STRIP OF LAND, 15 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, LOCATED IN THE EAST ONE-HALF OF THE SOUTHEAST ONE-QUARTER OF SECTION 1-T57N-R82W OF THE SIXTH PRINCIPAL MERIDIAN, SHERIDAN COUNTY, WYOMING, BEING FURTHER DESCRIBED AS FOLLOWS:


COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 1; THENCE N02°23'57"W A DISTANCE OF 1978.74 FEET TO THE POINT OF BEGINNING; THENCE S56°20'38"W A DISTANCE OF 192.37 FEET;

---

THENCE S66°00'05"W A DISTANCE OF 146.25 FEET; THENCE N76°30'01"W A DISTANCE OF 189.95 FEET; THENCE N62°48'05"W A DISTANCE OF 97.12 FEET TO THE CENTERLINE OF ACCESS EASEMENT 0230A1 AND THERE TERMINATING. THE BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.

SAID CENTERLINE BEING 37.92 RODS, IN LENGTH.

# ACCESS EASEMENT BERT W. DO



## SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

*Alan W. Erickson*  
ALAN W. ERICKSON, RLS 9079  
ULTEIG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504



STATE

COUNTY

ALAN W.  
THE FC  
ERICKSON

My Comm

# FOR PARCEL #0130 W REV. TRUST



## SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

## ACCESS EASEMENT



0130A30	135.93	RODS
0130B30	170.48	RODS

OF NORTH DAKOTA)  
SS)  
OF BURLEIGH  
ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED  
ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
REGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
DO THE SAME

**MARLYS MEIER**  
Notary Public  
State of North Dakota  
Commission Expires July 30, 2010

*Marlys Meier*  
MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 7/30/10  
215

△					
△					
△					
△					
REV.	DATE	DESCRIPTION			BY
DRIVE AROUNDS TONGUE RIVER - DRY FORK					
SHERIDAN COUNTY, WYOMING					
DRAWN BY:	CLS	SCALE:	PROJECT NO.		
CHECKED BY:	AWE	DATE:	AS SHOWN	305.353	
APPROVED BY:	AWE	DATE:	5-20-08	SHEET	1 of 2
			 Blainville • Denver Lakes • Fargo • Minneapolis • Sioux Falls		



### SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
 ULTEIG ENGINEERS, INC.  
 1412 BASIN AVENUE  
 BISMARCK, N.D. 58504

STATE


COUNTY

ALAN W.  
 THE F.  
 EXECUTIVE





# ACCESS EASEMENT FOR PARCEL #0130-A BERT W. DOW REV. TRUST



## SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

## ACCESS EASEMENT

0130-AA19 256.88 RODS



OF NORTH DAKOTA)  
OF BURLEIGH  
ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED  
ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
REGOIND SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
ED THE SAME



MARLYS MEIER  
Notary Public  
State of North Dakota  
Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 7/30/10

217

DRIVE AROUNDS TONGUE RIVER - DRY FORK SHERIDAN COUNTY, WYOMING	 <small>Bismarck - Great Lakes - Fargo - Minneapolis - Sioux Falls</small>
<small>DRAWN BY: CLS SCALE: AS SHOWN PROJECT NO: 305.353</small> <small>CHECKED BY: AWE DATE: 5-20-08</small> <small>APPROVED BY: AWE SHEET 1 of 2</small>	

# ACCESS EASEMENT BERT W. DO



## SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
ULTEIG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504


STATE

COUN

ALAN  
THE  
EXEC



T FOR PARCEL #0160  
 OW REV. TRUST




**SURVEYORS NOTE**  
 1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.  
 2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT		
0160A28	122.05	RODS
0160B28	246.98	RODS

OF NORTH DAKOTA] SSJ  
 TY OF BURLEIGH  
 ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED  
 W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
 FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
 UTED THE SAME.


MARLYS MEIER  
 Notary Public  
 State of North Dakota  
 My Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC  
 BURLEIGH COUNTY, NORTH DAKOTA  
 MY COMMISSION EXPIRES 7/30/10

REV.	DATE	DESCRIPTION	BY
DRIVE AROUNDS TONGUE RIVER - DRY FORK SHERIDAN COUNTY, WYOMING			
DRAWN BY: CLS CHECKED BY: AWE APPROVED BY: AWE	SCALE: AS SHOWN DATE: 5-20-08	PROJECT NO: 305.353 SHEET: 1 OF 2	 Ulteig engineers Denver, Colorado • Fargo, Minnesota • Salt Lake

219





EASEMENT 0160C28	
BEARING	DISTANCE
21613E	179.22
413917E	123.79
213624W	52.29
312502W	99.83
914300W	117.18
510315W	205.09

# ACCESS EASEMENTS FOR PARCEL #0160 BERT W. DOW, TRUST




## SURVEYORS NOTES

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES - GRID SCALE FACTOR OF 0.99976648.

## ACCESS EASEMENT

0160C28	47.12	RODS
0160D28	18.90	RODS
0160-AA33	113.04	RODS



## SURVEYORS CERTIFICATE

I, MATTHEW L. WEEKS, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

*Matthew Weeks*  
MATTHEW L. WEEKS, RLS 10552  
BASIN ELECTRIC POWER COOPERATIVE  
1717 E INTERSTATE AVENUE  
BISMARCK, ND 58503

STATE OF NORTH DAKOTA } SS  
COUNTY OF BURLEIGH

ON THIS 2<sup>ND</sup> DAY OF Dec, 2009, BEFORE ME PERSONALLY APPEARED MATTHEW L. WEEKS, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

**DAVID NELSON**  
Notary Public, State of North Dakota  
My Commission Expires May 11, 2010



*David Nelson*  
DAVID NELSON, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 5-11-2010

FACILITY:	TRANSMISSION SYSTEM MAINTENANCE
LOCATION/UNIT:	223 -- TONGUE RIVER SUBSTATION TO DFS SWITCHYARD 230KV LINE
ACCESS EASEMENTS TONGUE RIVER TO DRY FORK	
DRAWN BY: R. LANG 11/09	 <b>BASIN ELECTRIC POWER COOPERATIVE</b> A Touchstone Energy Cooperative
APPROVED BY: M. WEEKS 11/09	

221.

# ACCESS EASEMENT

## BERT W. DO



### SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
ULTEIG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504


STATE

COUNTY

ALAN W. ERICKSON  
THE F  
EXECL



# FOR PARCEL #0180-B OW REV. TRUST



**SURVEYORS NOTE**  
 1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.  
 2. DISTANCES SHOWN ARE GROUND DISTANCES.

**ACCESS EASEMENT**  
 0180-BA35 9.13 RODS

OF NORTH DAKOTA  
 Y OF BURLEIGH SS  
 ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED OREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE ITED THE SAME.


**MARLYS MEIER**  
 Notary Public  
 State of North Dakota  
 y Commission Expires July 30, 2010

*Marlys Meier*  
 MARLYS MEIER, NOTARY PUBLIC  
 BURLEIGH COUNTY, NORTH DAKOTA  
 MY COMMISSION EXPIRES 7/30/10

△			
△			
△			
REV	DATE	DESCRIPTION	BY
<b>DRIVE AROUNDS</b> <b>TONGUE RIVER - DRY FORK</b> <b>SHERIDAN COUNTY, WYOMING</b>			
DRAWN BY: CLS	SCALE: AS SHOWN	PROJECT NO: 305.353	 Ulteig engineers Bismarck - Denver - Lake - Fargo - Minneapolis - Sioux Falls
CHECKED BY: AWE	DATE: 5-21-08	SHEET: 1 of 2	
APPROVED BY: AWE			



# ACCESS EASEMENT FOR PARCEL #0180 BERT W. DOW REV. TRUST




## SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

## ACCESS EASEMENT

0180C34	154.63	RODS
0180D34	93.73	RODS



## SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
ULTEIG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504

STATE OF NORTH DAKOTA  
COUNTY OF BURLEIGH

ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED ALAN W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED THE FOREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME.

**MARLYS MEIER**  
Notary Public  
State of North Dakota  
My Commission Expires July 30, 2010

**MARLYS MEIER**  
MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 7/30/10



DATE	5-20-08	SHEET	1 of 2
<p>DRIVE AROUNDS TONGUE RIVER - DRY FORK SHERIDAN COUNTY, WYOMING</p>			
<p>DRAWN BY: CLS CHECKED BY: AWE APPROVED BY: AWE</p>	<p>SCALE: AS SHOWN DATE: 5-20-08</p>	<p>PROJECT NO. 305.353</p>	<p><b>Ulteig</b>engineers Bismarck - Detroit Lakes - Fargo - Minneapolis - Sioux Falls</p>







NEW REV. TRUST



SURVEYORS NOTE

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.





ACCESS EASEMENT

0200A2	49.17	RODS
--------	-------	------


IF NORTH DAKOTA] SS]  
OF BURLEIGH ]  
N THIS 14th DAY OF Aug. 2008, BEFORE ME PERSONALLY APPEARED  
ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
REGGING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
ID THE SAME.

**MARLYS MEIER**  
Notary Public



MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 9/1

   					
REV	DATE	DESCRIPTION			BY

<p style="text-align: center;"><b>DRIVE AROUNDS</b></p> <p style="text-align: center;"><b>TONGUE RIVER - 470 FORK</b></p> <p style="text-align: center;"><b>SHERIDAN COUNTY, WYOMING</b></p>						 <p style="text-align: center;"><b>Ulteig</b>Engineers</p>
DRAWN BY: CLS		SCALE: AS SHOWN		PROJECT NO. 305.353		
CHECKED BY: AWE		DATE: 8-06-08		SHEET 1 of 2		
APPROVED BY: AWE						

Dismark - Dental Lakes - Fargo - Minneapolis - Sioux Falls



**SURVEYORS CERTIFICATE**

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
ULTEIG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504



STATE:

COUNT

ALAN :  
THE F

My Com

# ACCESS EASEMENT FOR PARCEL #0240 BERT W. DOW REV. TRUST



**SURVEYORS NOTE**

1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
2. DISTANCES SHOWN ARE GROUND DISTANCES.

## ACCESS EASEMENT

0240A6	13.84	RODS
--------	-------	------

OF NORTH DAKOTA  
Y OF BURLEIGH SS  
ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED  
W. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
THE PRECEDING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
HOLD THE SAME.



**MARLYS MEIER**  
Notary Public  
State of North Dakota  
Commission Expires July 30, 2010

*Marlys Meier*  
MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 7/30/10 229

DRIVE AROUNDS TONGUE RIVER - DRY FORK	PROJECT NO. 305.353	
SHERIDAN COUNTY, WYOMING		
DRAWN BY: CLS	SCALE: AS SHOWN	DATE: 5-21-08
CHECKED BY: AWE	SHEET 1 of 2	
APPROVED BY: AWE	Ulteig engineers	

Blanchard - Cheyenne - Laramie - Fargo - Minneapolis - Sioux Falls

# ACCESS EASEMENT BERT W. J



## SURVEYORS CERTIFICATE

I, ALAN W. ERICKSON, A REGISTERED LAND SURVEYOR IN THE STATE OF WYOMING, HEREBY CERTIFY THAT THIS SURVEY, PLAN OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS TRUE AND CORRECT TO THE BEST OF MY BELIEF AND KNOWLEDGE. ANY ALTERATION OF THIS DOCUMENT WILL VOID THIS CERTIFICATION.

ALAN W. ERICKSON RLS 9079  
ULTIENG ENGINEERS, INC.  
1412 BASIN AVENUE  
BISMARCK, N.D. 58504



STATE

COUNTY

ALAN W. ERICKSON  
THE F  
EXECUTIVE



PLAN FOR PARCEL #0240-A  
LOW REV. TRUST



- SURVEYORS NOTE**
1. BASIS OF BEARINGS IS THE WYOMING STATE PLANE COORDINATE SYSTEM, EAST ZONE.
  2. DISTANCES SHOWN ARE GROUND DISTANCES.

ACCESS EASEMENT

0240-AA1 37.92 RODS

OF NORTH DAKOTA  
SS  
Y OF BURLEIGH  
ON THIS 30 DAY OF May, 2008, BEFORE ME PERSONALLY APPEARED  
K. ERICKSON, KNOWN TO ME TO BE THE PERSON DESCRIBED IN AND WHO EXECUTED  
PREGOING SURVEYOR'S CERTIFICATE AND HE ACKNOWLEDGED TO ME THAT HE  
TED THE SAME.

MARLYS MEIER  
Notary Public  
State of North Dakota  
Commission Expires July 30, 2010

MARLYS MEIER, NOTARY PUBLIC  
BURLEIGH COUNTY, NORTH DAKOTA  
MY COMMISSION EXPIRES 7/30/10

REV.	DATE	DESCRIPTION	BY
1		DRIVE AROUNDS	
2		TONGUE RIVER - DRY FORK	
3		SHERIDAN COUNTY, WYOMING	
DRAWN BY:	CLS	SCALE:	PROJECT NO.
CHECKED BY:	AWE	AS SHOWN	305.353
APPROVED BY:	AWE	DATE:	SHEET
		5-21-08	1 of 2

Ulteigengineers

Sioux Falls - Rapid City - Pierre - Spearhead - Fargo - Minneapolis - St. Paul